

SACLOMA

2013 CATALOGUE

		Pages
Textilies And Other In Rolls Height	Acrylic, Pvc, Polyester, Skai, Nylon, Monofilm, Adhesive Cloth, Cristall, Leather, Mylar	4-12
Battens And Terminals	Tapered Flat Battens, Constant Full Battens, Round Battens, Connectors, Untapered Flat Battens, Terminals	13-24
Blocks	Ball Bearing Blocks, Mainsail Outhaul Blocks, Ring With Blocks	25-26
Buckles	Nylon Buckles, Steel Buckles	27-29
Cut And Sew	Scissors, Sharpener, Rechargeable Cordless Scissor, Engel Hot Knife, Cutters, Thread Clipper, Seam Rippers, Scratch Awl, Needles, Thread, Seaming Palms	30-36
Double Side Adhesive Tape	Acrylic Based, Dacron/Mylar Reinforced, High Adhesion, For Acrylic Cover Fabric, For Silicon Spinnaker Sailcloth, Roller	37-39
Eyelets And Hole Cutters	Hipkiss, Stimpson, Inox Eyelets, Headboard Eyelets, Plastic Eyelets, Hole Cutters, Hole Cutter Plier	39-42
Fasteners	Cover Fasteners, Turnbutton, Tenax	43-46
Glue And Spray Adhesive	Acetovinylic Glue, 3M Spray Adhesive	46
Headboards	Aluminium Headboards Plastic Headboards Inox Headboards	46-48
Hooks, Swivels And Shackles	Hooks, Oval Quick Links, Wichard, Bronze Jib Hanks, Swivels, Plastic And Inox Shackles	49-56
Ink And Other Products	Sail Marking Ink, Roller And Pad, Plastiseam, Plastidip, Mildew Remover, Water Resistant Treatments	57
O-Rings, D-Rings And Triangles	Round Rings, Round Rings With Bar, Nylon Rings, D-Ring, Triangles	58-60
Press Tools	Press Tool, Press Plier, Bronze Plates	61
Rails	Aluminium or Plastic Rails, Tape For Rails	62
Rivets	Tubular Rivets, Headboards Rivets	62-63
Rope And Cleats	Double Braid, 3-Strand, Pre-Stretched Rope, Shockcord, Sweden Rope Cleats, Clamcleat	63-66
Slides	Internal, External, Plastic And Steel Slides	67-69
Tapes And Webbing	Elastic, Adhesive, Dacron Tapes, Reinforced Adhesive Tapes, Luff Tapes And Webbing	70-75
Velcro	White, Black And Adhesive Velcro	76
Wire Rope, Thimbles And Sleeves	Wire Rope, Open And Close Thimbles, Copper And Zinc Plated Sleeves, FELCO Shears For Wire Rope, Tool For Pressing Sleeves	76-79
Zipper	YKK And Paskal Zippers	79-80
Other Sailmakers Hardware	Knee Pads, Sail Repair Kits, Polypropylene Base for Punch, Staple Remover, Rawhide Hammer, Adhesive Numbers And Letters, Steel Clamp For Cloth, Pushpins, Measuring Tapes	81-82

A		I		Roller For Seaming Tape	39
Acrylic	4	Ink	57	Rope	63
Acrylic Tape	70			Rope Cleats	65
Adhesive Spray	46	J		S	
Adhesive Tape	70	Jib Hanks	52	Scissors	30
Adhesives	9			Scratch Awl	33
Airtex	5-10	K		Seam Rippers	33
Anti UV Tape	71	Kevlar Patch	11	Seaming Palms	35
Anti UV Transparent	73	Kevlar Rope	64	Seaming Tape	37
Anti UV Textiles	10	Kevlar Tape Adhesive	70	Shackles	55
Awls	33	Kevlar Webbing	75	Sharpener	30
		Kit Repair	81	Shears	78
B		Knee Pads	81	Sheets Cristall	12
Base For Punch	81			Shockcord	64
Battens Tapered	14	L		Skai	6
Battens Untapered	18	Leather	12	Sleeves	77
Blade For Hot Knife	32	Leech Terminals	20	Slides	67
Blades For Cutter	32	Letters-Adhesives	82	Slides For Zip	79
Blocks	25	Liquid Plastic	57	Snap Fasteners	43
Buckles	27	Luff Terminals	20	Snuffer Material	9
Button	43			Solacryl	4
		M		Spectra Rope	64
C		Measuring Tape	82	Spinnaker Nylon	11
Clamcleat	65	Mesh	7	Spray Adhesive	46
Clamps For Cloth	82	Mildew Remover	57	Stamoid Type	5
Clamps For Shockcord	45	Monofilm	11		
Cleaners	57			Staple Remover	81
Cleats	65	Mylar For Models	12	Stimpson	39
Connectors For Battens	18			Swivels	54
Cordless Scissors	32	N			
Cristall	12	Needles	33	T	
Cutter	32	Numbers-Adhesives	82	Tapes	70
		Nylon For Bags	8	Tape For Rails	62
D		Nylon For Spinnaker	11	Teflon Tape	72
Dacron Tape	71			Tenax	43
Digital Numbers	82	O		Terminals	20
Dot Fasteners	43	O-Rings	58	Thimbles	76
Double Side Tape	37	Oval Quick Links	50	Thread	34
D-Rings	59			Thread Clipper	33
E		P		Tool For Eyelets	39
Elastic Rope	64	Pad For Ink	57	Tool For Sleeves	78
Elastic Tape	70	Palms For Seaming	35	Tool For Buttons	41
End Protectors	18	Patch Material	11	Tool For Turnbutton	43
Endeavour Eyelets	41	Phifertex	7	Tool For Rivets	62
Eyelets	39	Pins	82	Trampoline Fabric	7
		Plastidip	57	Trapeze Hook	50
F		Plastiseam	57	Triangles	60
Fasteners	43	Plates	61	Turnbutton	44
Flat Battens	14	Plier Hole Cutter	42		
Foam Adhesive	12	Polyester	5	V	
Foot For Hot Knife	32	Polypropylene Base	81	Velcro	76
		Press Sleeves	78	Vinyl Mesh	7
G		Press Tool	61	VL Eyelets	40
Glue 46	46	PVC	4		
		Q		W	
H		Quick Release	51	Water Repellent	57
Hammer	81			Window Material	12
Head Foil	73	R		Wire Rope	76
Headboard Eyelets	41	Rails	62		
Headboards	46	Remover For Staples	81	Z	
Hipkiss	39	Repair Kit	81	Zipper	79
Hole Cutters	41	Ring With Blocks	26		
Hooks	49	Rings	58		
Hot Knife	32	Rivets	62		
		Roller for Ink	57		

Acrylic Solacryl

Acrylic Sumbrella type for nautic covers, width 150 cm.

Uncoated, water repellent, 315 gr./m².

UNCOATED	
Item	Colors
W003-05WH	White
W003-05ST	Stone
W003-05SI	Silver
W003-05GR	Cadet Grey
W003-05CHG	Charcoal Grey
W003-05DG	Dark Green
W003-05RE	Red
W003-05BE	Beige
W003-05BU	Burgundy
W003-05MIB	Mid Blue
W003-05RB	Royal Blue
W003-05MAB	Marine Blue
W003-05CAPN	Captain Navy
W003-05NB	Navy Blue
W003-05BL	Black

Coated, waterproof, 344 gr./m².

COATED	
Item	Colors
W003-11WH	White
W003-11ST	Stone
W003-11SI	Silver
W003-11GR	Cadet Grey
W003-11CHG	Charcoal Grey
W003-11DG	Dark Green
W003-11RE	Red
W003-11BE	Beige
W003-11BU	Burgundy
W003-11MIB	Mid Blue
W003-11RB	Royal Blue
W003-11MAB	Marine Blue
W003-11CAPN	Captain Navy
W003-11NB	Navy Blue
W003-11BL	Black

Available Colors



**The colors are approximate, please see the samples for the exact shade.*

PVC

Classic PVC for nautic covers 630 gr./m² , width 220 cm.

Item W002-07

Available Colors : White and



Nautica Premium Stamoid Type

Polyester for nautic covers PVC coated, anti UV, waterproof, 450 gr./m², width 220 cm

Available Colors : White art. W002-20



Opac White
Art. W002-21



Beige
Art. W002-22



Blue
Art. W002-23



Blue Navy
Art. W002-24


Polyester Stamoid Type

Polyester for nautic covers PVC coated, anti UV, waterproof, 440 gr./m², width 220 cm.

Available Colors : White art. W002-30



Light Beige
Art. W002-33



Grey
Art. W002-34



Blue Royal
Art. W002-32



Blue Navy
Art. W002-31

Polyester - Tendaline

Polyester for nautic covers PVC coated, anti UV, waterproof, 230 gr./m², width 220 cm.

Art. W072-02

Available Colors : White e



Grey



Beige



Blue Royal



Blue Navy

Polyester - Airtex Original

Polyester for nautic covers PVC coated, anti UV, waterproof, 200 gr./m².
Width 170 cm.

Available Colors : White art. W030-01WH



Beige
W030-01BG



Grigio
W030-01GH



Grigio Scuro
W030-01GD



Blue Royal
W030-01RB



Blue Navy
W030-01NB

Skai - Lucid

Imitation leather for cushions or other covering, Width 140 cm

Available Colors : White art. W008-08



Beige 1167
Art. W008-09



Beige 1112
Art. W008-14



Grey 2981
Art. W008-18



Grey 2966
Art. W008-15



Blue 4944
Art. W008-11



Blue 4917
Art. W008-10

Skai Trapuntate

Imitation leather for cushions or other covering, Width 140 cm



White
Art. W008-17

Skai "Ischia"

Imitation leather for cushions or other covering, Width 140 cm



White
Art. W008-04



Black
Art. W008-16

Skai "Mistral"

Imitation leather for cushions or other covering, Width 140 cm

Available Colors : White art. W008-05



Beige 1167
Art. W008-12



Grey 4009
Art. W008-13



Blue 4915
Art. W008-06



Blue 4947
Art. W008-07


Skai “Opac”

Imitation leather for cushions or other covering, Width 140 cm

Available Colors : White art. W008-31



Beige
Art. W008-32



Grey
Art. W008-33



Black
Art. W008-30

Skai “Ocean”

Imitation leather for cushions or other covering, Width 140 cm

Available Colors : White art. W008-20



Beige
Art. W008-21



Blue 3946
Art. W008-22

Phifertex Plus Vinyl Coated Polyester

100% Woven Vinyl-Coated Polyester, Durable & long life expectancy
Width 137 cm.

Available Colors : White art. W020-13



Stucco
Art. W020-11



Blue
Art. W020-12



Black
Art. W020-10

Trampoline Fabric

100% Polypropylene, 340 gr./m².



Black

Width cm	Item
189	W004-01
223	W004-02

Vinyl Coated Mesh


High Tensile Strength and Rot Resistant, 280 gr./m², Width 157 cm.

Item W020-00

Available Colors :



White



Light Blue



Blue



Red



Black

Phifertex Plus Vinyl Coated Polyester

100% Woven Vinyl-Coated Polyester, Durable & long life expectancy, 480 gr./m², Width 137 cm.

Available Colors :



White
Art. W020-01



Blue
Art. W020-01B



Grey
Art. FH354GY

Polyester For Flags


Polyester for Flags 130 gr./m² Width 150 cm.

Item W009-01

Available Colors :



Orange



H.Blue



Blue



Blue Navy

Nylon Sail Bag

Nylon high tenacity for sail bags 160 cm 420x210 deniers, 220 gr./m².

Item W001-06

Available Colors : White and



Grey



Dark Grey



Red



Blue Navy



Ble Royal



Yellow

Nylon Alcobe Marine

Nylon high tenacity for sail bags 160 cm

Item	Type	Deniers	gr./m ² .
W001-05	Light	210x210	150
W001-04	Medium	420x420	250
W001-03	Heavy	840x420	440



Polyester For Spinnaker Snuffer - Opac

Polyester for snuffer construction, 180 gr./m².
Width 150 cm


Available Colors :



Polyester For Spinnaker Snuffer - Lucid

Polyester for snuffer construction, 180 gr./m², 106 gr./m².
Width 154 cm

Available Colors :




Adhesive Dacron Captain Width 137 cm



Transparent h 100 cm item H 64-25

Adhesive Dacron Challenge Sailcloth

Width 144 cm




White
CH 90-07



Blue
CH 90-08



Red
CH 90-09



Black
CH 90-10



Grey
CH 90-11



Kevlar Color
CH 90-12

Adhesive Polyester Airtex Original

Polyester, PVC coated, anti UV, 200 gr./m².

Width 170 cm.

Available Colors : White item W030-03WH



Beige
W030-03BG



Grigio
W030-03GH



Grigio Scuro
W030-03GD



Blue Royal
W030-03RB



Blue Navy
W030-03NB



Adhesives Anti UV Challenge Sailcloth

Item	Description	Width
CH 90-01	White Anti UV Adhesive Dacron Challenge	137
CH 90-05	Transparent Anti UV Adhesive TEDLAR	137

Adhesives Dacron e Nylon Polyant



Articolo	Descrizione	Altezza cm
D 44-01	Nylon 1,5 oz White-Red-Blue-Black-Yellow- Yellow Flu	96
D 45-01	90 NT Dacron Blue	96
D 46-01	100 NT Dacron White	96
D 46-04	170 NT Dacron White	96
D 46-06	250 NT Dacron White	96
D 45-02	90 NT Dacron anti UV Blue	96
D 46-02	100 NT Dacron anti UV White	96
D 46-05	170 NT Dacron anti UV White	96




Adhesive Spinnaker Nylon

Item	Description	Width cm
W100-01	Spynnaker Nylon 44 gr./m ² White Adhesive	150

Polyester Reinforced Adhesive Monofilm

MNX WARP 0,5 Adhesive



CH100-01

MNX 3 Adhesive



CH 92-10

R 0,75 PSA XI-P



D 70-01

Adhesive Polyester

Width 150 cm Item W087-01



White



Grey



Blue Royal



Blue Navy

Patch Adhesives

Adhesive Kevlar width 137 cm



Item W 86-00

**Adhesive Kevlar x Kevlar
Warp x Fill width 132 cm**



Item CH 91-03

**Adhesive Kevlar
White width 150 cm**



Item CH 91-05

**Adhesive Kevlar
Black width 150 cm**



Item CH 91-06

**Adhesive Cordura
Silver Color width 150 cm**




Item CH 91-10

**Adhesive Cordura
Grey Color width 150 cm**




Item CH 91-11



Anti UV Cristall

Item	Thickness	Roll Height
V 15-02	m/m 0,30	cm 140
V 15-03	m/m 0,40	cm 140
V 15-04	m/m 0,50	cm 140
V 15-06	m/m 0,75	cm 140
V 15-07	m/m 1,00	cm 140



Sheets of Anti UV Cristall

Item	Thickness	Measures
V 16-01	m/m 0,4	cm 80x170
V 16-03	m/m 0,5	cm 80x170



Mylar For Sail Models

Item	Thickness	Width
V 14-02	m/m 0,07	cm 100
V 14-03	m/m 0,19	cm 100
V 14-04	m/m 0,35	cm 100



Leather – Chrome Tanning

Item	Thickness	m ²
V 8-01	m/m 1,5	1 - 1,5



Leather – Natural Tanning

Item	Thickness	m ²
V 8-03	m/m 1,8	1,2 – 1,5



Adhesive Luff Foam

Item	Thickness	Width	Description
V053-01	m/m 5	1000 m/m	1 mt Length Min
V053-05	m/m 5	60 m/m	10 mt Roll

Alcobe Marine Poltrusion System Tapered Battens (Glass- Epoxy Resin)

Width 19 m/m - Leech Batten



Thickness m/m Thickness in	m/m 5,08 in 0,200	m/m 5,84 in 0,230	m/m 6,73 in 0,265	m/m 7,61 in 0,300	m/m 8,89 in 0,350
Length	Item	Item	Item	Item	Item
600	APL200-060	APL230-060	APL265-060	APL300-060	APL350-060
700	APL200-070	APL230-070	APL265-070	APL300-070	APL350-070
800	APL200-080	APL230-080	APL265-080	APL300-080	APL350-080
900	APL200-090	APL230-090	APL265-090	APL300-090	APL350-090
1000	APL200-100	APL230-100	APL265-100	APL300-100	APL350-100
1100	APL200-110	APL230-110	APL265-110	APL300-110	APL350-110
1200	APL200-120	APL230-120	APL265-120	APL300-120	APL350-120
1300	APL200-130	APL230-130	APL265-130	APL300-130	APL350-130
1400	APL200-140	APL230-140	APL265-140	APL300-140	APL350-140
1500	APL200-150	APL230-150	APL265-150	APL300-150	APL350-150
1600	APL200-160	APL230-160	APL265-160	APL300-160	APL350-160
1700	APL200-170	APL230-170	APL265-170	APL300-170	APL350-170
1800	APL200-180	APL230-180	APL265-180	APL300-180	APL350-180
1900	APL200-190	APL230-190	APL265-190	APL300-190	APL350-190
2000	APL200-200	APL230-200	APL265-200	APL300-200	APL350-200
2100	APL200-210	APL230-210	APL265-210	APL300-210	APL350-210
2200	APL200-220	APL230-220	APL265-220	APL300-220	APL350-220
2500	APL200-250	APL230-250	APL265-250	APL300-250	APL350-250
2700	APL200-270	APL230-270	APL265-270	APL300-270	APL350-270
3000	APL200-300	APL230-300	APL265-300	APL300-300	APL350-300
3300	APL200-330	APL230-330	APL265-330	APL300-330	APL350-330
3500	APL200-350	APL230-350	APL265-350	APL300-350	APL350-350
3600	APL200-360	APL230-360	APL265-360	APL300-360	APL350-360
3900	APL200-390	APL230-390	APL265-390	APL300-390	APL350-390
4000	APL200-400	APL230-400	APL265-400	APL300-400	APL350-400
4200	APL200-420	APL230-420	APL265-420	APL300-420	APL350-420
4500	APL200-450	APL230-450	APL265-450	APL300-450	APL350-450
4800	APL200-480	APL230-480	APL265-480	APL300-480	APL350-480
5000	APL200-500	APL230-500	APL265-500	APL300-500	APL350-500
5200	APL200-520	APL230-520	APL265-520	APL300-520	APL350-520
5500	APL200-550	APL230-550	APL265-550	APL300-550	APL350-550
6000	APL200-600	APL230-600	APL265-600	APL300-600	APL350-600

Alcobe Marine Poltrusion System Tapered Battens (Glass-Epoxy Resin)

Width 19 m/m - Full Batten



Thickness m/m Thickness in	m/m 5,08 in 0,200	m/m 5,84 in 0,230	m/m 6,73 in 0,265	m/m 7,61 in 0,300	m/m 8,89 in 0,350
Length	Item	Item	Item	Item	Item
600	APF200-060	APF230-060	APF265-060	APF300-060	APF350-060
700	APF200-070	APF230-070	APF265-070	APF300-070	APF350-070
800	APF200-080	APF230-080	APF265-080	APF300-080	APF350-080
900	APF200-090	APF230-090	APF265-090	APF300-090	APF350-090
1000	APF200-100	APF230-100	APF265-100	APF300-100	APF350-100
1100	APF200-110	APF230-110	APF265-110	APF300-110	APF350-110
1200	APF200-120	APF230-120	APF265-120	APF300-120	APF350-120
1300	APF200-130	APF230-130	APF265-130	APF300-130	APF350-130
1400	APF200-140	APF230-140	APF265-140	APF300-140	APF350-140
1500	APF200-150	APF230-150	APF265-150	APF300-150	APF350-150
1600	APF200-160	APF230-160	APF265-160	APF300-160	APF350-160
1700	APF200-170	APF230-170	APF265-170	APF300-170	APF350-170
1800	APF200-180	APF230-180	APF265-180	APF300-180	APF350-180
1900	APF200-190	APF230-190	APF265-190	APF300-190	APF350-190
2000	APF200-200	APF230-200	APF265-200	APF300-200	APF350-200
2100	APF200-210	APF230-210	APF265-210	APF300-210	APF350-210
2200	APF200-220	APF230-220	APF265-220	APF300-220	APF350-220
2500	APF200-250	APF230-250	APF265-250	APF300-250	APF350-250
2700	APF200-270	APF230-270	APF265-270	APF300-270	APF350-270
3000	APF200-300	APF230-300	APF265-300	APF300-300	APF350-300
3300	APF200-330	APF230-330	APF265-330	APF300-330	APF350-330
3500	APF200-350	APF230-350	APF265-350	APF300-350	APF350-350
3600	APF200-360	APF230-360	APF265-360	APF300-360	APF350-360
3900	APF200-390	APF230-390	APF265-390	APF300-390	APF350-390
4000	APF200-400	APF230-400	APF265-400	APF300-400	APF350-400
4200	APF200-420	APF230-420	APF265-420	APF300-420	APF350-420
4500	APF200-450	APF230-450	APF265-450	APF300-450	APF350-450
4800	APF200-480	APF230-480	APF265-480	APF300-480	APF350-480
5000	APF200-500	APF230-500	APF265-500	APF300-500	APF350-500
5200	APF200-520	APF230-520	APF265-520	APF300-520	APF350-520
5500	APF200-550	APF230-550	APF265-550	APF300-550	APF350-550
6000	APF200-600	APF230-600	APF265-600	APF300-600	APF350-600

Alcobe Marine Tapered Monolithic Battens

10 m/m Leech



Length m/m	Soft	Medium	Hard	XHard
450	ABL10-045S1	ABL10-045S2	ABL10-045S3	ABL10-045S4
600	ABL10-060S1	ABL10-060S2	ABL10-060S3	ABL10-060S4
800	ABL10-080S1	ABL10-080S2	ABL10-080S3	ABL10-080S4
1000	ABL10-100S1	ABL10-100S2	ABL10-100S3	ABL10-100S4
1100	ABL10-110S1	ABL10-110S2	ABL10-110S3	ABL10-110S4
1200	ABL10-120S1	ABL10-120S2	ABL10-120S3	ABL10-120S4

10 m/m Full



Length m/m	Soft	Medium	Hard	XHard
1100	ABF10-110S1	ABF10-110S2	ABF10-110S3	ABF10-110S4
1200	ABF10-120S1	ABF10-120S2	ABF10-120S3	ABF10-120S4

12 m/m Leech



Length m/m	Soft	Medium	Hard	XHard
450	ABL12-045S1	ABL12-045S2	ABL12-045S3	ABL12-045S4
600	ABL12-060S1	ABL12-060S2	ABL12-060S3	ABL12-060S4
800	ABL12-080S1	ABL12-080S2	ABL12-080S3	ABL12-080S4
1000	ABL12-100S1	ABL12-100S2	ABL12-100S3	ABL12-100S4
1100	ABL12-110S1	ABL12-110S2	ABL12-110S3	ABL12-110S4
1200	ABL12-120S1	ABL12-120S2	ABL12-120S3	ABL12-120S4

12 m/m Full



Length m/m	Soft	Medium	Hard	XHard
1100	ABF12-110S1	ABF12-110S2	ABF12-110S3	ABF12-110S4
1200	ABF12-120S1	ABF12-120S2	ABF12-120S3	ABF12-120S4

15 m/m Leech



Length m/m	Soft	Medium	Hard	XHard
450	ABL15-045S1	ABL15-045S2	ABL15-045S3	ABL15-045S4
600	ABL15-060S1	ABL15-060S2	ABL15-060S3	ABL15-060S4
800	ABL15-080S1	ABL15-080S2	ABL15-080S3	ABL15-080S4
1000	ABL15-100S1	ABL15-100S2	ABL15-100S3	ABL15-100S4
1100	ABL15-110S1	ABL15-110S2	ABL15-110S3	ABL15-110S4
1200	ABL15-120S1	ABL15-120S2	ABL15-120S3	ABL15-120S4

15 m/m Full



Length m/m	Soft	Medium	Hard	XHard
1100	ABF15-110S1	ABF15-110S2	ABF15-110S3	ABF15-110S4
1200	ABF15-120S1	ABF15-120S2	ABF15-120S3	ABF15-120S4

Alcobe Marine Tapered Monolithic Battens

20 m/m Leech



Length	Soft	Medium	Hard	XHard
600	ABL20-060S1	ABL20-060S2	ABL20-060S3	ABL20-060S4
800	ABL20-080S1	ABL20-080S2	ABL20-080S3	ABL20-080S4
1000	ABL20-100S1	ABL20-100S2	ABL20-100S3	ABL20-100S4
1200	ABL20-120S1	ABL20-120S2	ABL20-120S3	ABL20-120S4
1500	ABL20-150S1	ABL20-150S2	ABL20-150S3	ABL20-150S4
2000	ABL20-200S1	ABL20-200S2	ABL20-200S3	ABL20-200S4
2500	ABL20-250S1	ABL20-250S2	ABL20-250S3	ABL20-250S4
3000	ABL20-300S1	ABL20-300S2	ABL20-300S3	ABL20-300S4
3500	ABL20-350S1	ABL20-350S2	ABL20-350S3	ABL20-350S4
4000	ABL20-400S1	ABL20-400S2	ABL20-400S3	ABL20-400S4
4500	ABL20-450S1	ABL20-450S2	ABL20-450S3	ABL20-450S4
5000	ABL20-500S1	ABL20-500S2	ABL20-500S3	ABL20-500S4
5500	ABL20-550S1	ABL20-550S2	ABL20-550S3	ABL20-550S4
6000	ABL20-600S1	ABL20-600S2	ABL20-600S3	ABL20-600S4

20 m/m Full



Length	Soft	Medium	Hard	XHard
600	ABF20-060S1	ABF20-060S2	ABF20-060S3	ABF20-060S4
800	ABF20-080S1	ABF20-080S2	ABF20-080S3	ABF20-080S4
1000	ABF20-100S1	ABF20-100S2	ABF20-100S3	ABF20-100S4
1200	ABF20-120S1	ABF20-120S2	ABF20-120S3	ABF20-120S4
1500	ABF20-150S1	ABF20-150S2	ABF20-150S3	ABF20-150S4
2000	ABF20-200S1	ABF20-200S2	ABF20-200S3	ABF20-200S4
2500	ABF20-250S1	ABF20-250S2	ABF20-250S3	ABF20-250S4
3000	ABF20-300S1	ABF20-300S2	ABF20-300S3	ABF20-300S4
3500	ABF20-350S1	ABF20-350S2	ABF20-350S3	ABF20-350S4
4000	ABF20-400S1	ABF20-400S2	ABF20-400S3	ABF20-400S4
4500	ABF20-450S1	ABF20-450S2	ABF20-450S3	ABF20-450S4
5000	ABF20-500S1	ABF20-500S2	ABF20-500S3	ABF20-500S4
5500	ABF20-550S1	ABF20-550S2	ABF20-550S3	ABF20-550S4
6000	ABF20-600S1	ABF20-600S2	ABF20-600S3	ABF20-600S4

Alcobe Marine Tapered Monolithic Battens

30 m/m Leech




Length	Soft	Medium	Hard	XHard
600	ABL30-060S1	ABL30-060S2	ABL30-060S3	ABL30-060S4
800	ABL30-080S1	ABL30-080S2	ABL30-080S3	ABL30-080S4
1000	ABL30-100S1	ABL30-100S2	ABL30-100S3	ABL30-100S4
1200	ABL30-120S1	ABL30-120S2	ABL30-120S3	ABL30-120S4
1500	ABL30-150S1	ABL30-150S2	ABL30-150S3	ABL30-150S4
2000	ABL30-200S1	ABL30-200S2	ABL30-200S3	ABL30-200S4
2500	ABL30-250S1	ABL30-250S2	ABL30-250S3	ABL30-250S4
3000	ABL30-300S1	ABL30-300S2	ABL30-300S3	ABL30-300S4
3500	ABL30-350S1	ABL30-350S2	ABL30-350S3	ABL30-350S4
4000	ABL30-400S1	ABL30-400S2	ABL30-400S3	ABL30-400S4
4500	ABL30-450S1	ABL30-450S2	ABL30-450S3	ABL30-450S4
5000	ABL30-500S1	ABL30-500S2	ABL30-500S3	ABL30-500S4
5500	ABL30-550S1	ABL30-550S2	ABL30-550S3	ABL30-550S4
6000	ABL30-600S1	ABL30-600S2	ABL30-600S3	ABL30-600S4

30 m/m Full




Length	Soft	Medium	Hard	XHard
600	ABF30-060S1	ABF30-060M	ABF30-060S3	ABF30-060S4
800	ABF30-080S1	ABF30-080M	ABF30-080S3	ABF30-080S4
1000	ABF30-100S1	ABF30-100M	ABF30-100S3	ABF30-100S4
1200	ABF30-120S1	ABF30-120M	ABF30-120S3	ABF30-120S4
1500	ABF30-150S1	ABF30-150M	ABF30-150S3	ABF30-150S4
2000	ABF30-200S1	ABF30-200M	ABF30-200S3	ABF30-200S4
2500	ABF30-250S1	ABF30-250M	ABF30-250S3	ABF30-250S4
3000	ABF30-300S1	ABF30-300M	ABF30-300S3	ABF30-300S4
3500	ABF30-350S1	ABF30-350M	ABF30-350S3	ABF30-350S4
4000	ABF30-400S1	ABF30-400M	ABF30-400S3	ABF30-400S4
4500	ABF30-450S1	ABF30-450M	ABF30-450S3	ABF30-450S4
5000	ABF30-500S1	ABF30-500M	ABF30-500S3	ABF30-500S4
5500	ABF30-550S1	ABF30-550M	ABF30-550S3	ABF30-550S4
6000	ABF30-600S1	ABF30-600M	ABF30-600S3	ABF30-600S4

Alcobe Marine Poltrusion System Untapered Battens




Width m/m	Thickness m/m	Length mt	Item
15	3,3	15	AV15-033
15	4,8	15	AV15-048
15	6,5	15	AV15-065



Width m/m	Thickness m/m	Length mt	Item
20	6,0	15	AV20-060
20	8,0	15	AV20-080
20	9,0	15	AV20-090
20	10,0	15	AV20-100

Fiberglass Flat Battens



Item	Size m/m	Thickness m/m	T	Length mt	End Protectors
P 10-01	9	2,5	T1	4	P 11-01
P 10-02	15	3,5	T2	4	P 11-02
P 10-03	18	2,0	T1	4	P 11-03
P 10-04	24	2,5	T1	4	P 11-04
P 10-05	24	4,0	T2	4	P 11-05
P 10-06	30	3,0	T2	4	P 11-06
P 10-09	30	4,5	T1	5	P 11-06
P 10-07	40	5,0	T2	4	P 11-07
P 10-08	50	4,0	T1	4	-



Batten End Protectors

Item	Size m/m
P 11-01	9
P 11-02	15
P 11-03	18
P 11-04	24x2,5
P 11-05	24x4,0
P 11-06	30
P 11-07	40



Fiberglass Round Battens

Item	m/m	Length
P 74-01	ø 6	mt 2
P 74-02	ø 8	mt 5
P 74-03	ø 10	mt 6
P 74-04	ø 12	mt 7
P 74-05	ø 14	mt 7
P 74-06	ø 16	mt 7
P 74-07	ø 18	mt 7
P 74-08	ø 20	mt 7
P 74-09	ø 22	mt 7
P 74-10	ø 24	mt 7



Batten End Protectors

Item	Size
P 98-01	ø 8
P 98-02	ø 10
P 98-03	ø 12
P 98-04	ø 14
P 98-05	ø 16
P 98-06	ø 18
P 98-07	ø 20



Stainless Steel Round Batten Connectors

Item	Int. m/m	Length
M 57-00	10	cm 15
M 57-01	12	cm 20
M 57-02	14	cm 20
M 57-03	16	cm 20
M 57-04	18	cm 25
M 57-05	20	cm 25
M 57-06	22	cm 30
M 57-07	24	cm 30



Fiberglass Battens For Cloth Marking

Item	Description	Length
P 22-04	m/m 14x18	20 mt



Adjustable Leech Terminal for Flat Battens

Item	Batten Width	Batten Thickness
P082-01	m/m 20	m/m 8
P082-02	m/m 20	m/m 10




Adjustable Luff Terminal for Flat Battens

Item	Description	Connection
P083-01	Flat Batten 19 m/m	M 10



Luff Terminal for Round Battens

Item	Batten m/m	L m/m	Type	Connection
P 77-01	ø 8	60	4 screws 4X12	M 10
P 77-02	ø 10	60	4 screws 4X12	M 10
P 77-03	ø 12	60	4 screws 4X12	M 10



Adjustable Leech Terminal for Round Battens

Item	Batten m/m	L m/m	Type	Screw
P 76-01	ø 8	60	4 screws 4X12	m/m 10
P 76-02	ø 10	60	4 screws 4X12	m/m 14
P 76-03	ø 12	60	4 screws 4X12	m/m 16



Luff Terminal for Round Battens

Item	Batten m/m	L m/m	Type	Connection
P 78-00	ø 8	70	4 screws 5x16	M 10
P 78-01	ø 10	70	4 screws 5x16	M 10
P 78-02	ø 12	70	4 screws 5x16	M 10
P 78-03	ø 14	70	4 screws 5x16	M 10
P 78-09	ø 14	90	6 screws 5x20	M 10
P 78-04	ø 16	90	6 screws 5x20	M 10
P 78-05	ø 18	90	6 screws 5x20	M 10
P 78-06	ø 20	160	6 screws 6x25	M 10
P 78-07	ø 22	160	6 screws 6x25	M 10
P 78-08	ø 24	160	6 screws 6x25	M 10



Adjustable Leech Terminal for Round Battens

Item	Batten m/m	L m/m	Type	Screw
P 79-00	ø 8	70	4 screws 5x16	m/m 10
P 79-01	ø 10	70	4 screws 5x16	m/m 14
P 79-02	ø 12	70	4 screws 5x16	m/m 16
P 79-03	ø 14	70	4 screws 5x16	m/m 18
P 79-09	ø 14	90	6 screws 5x20	m/m 18
P 79-04	ø 16	90	6 screws 5x20	m/m 20
P 79-05	ø 18	90	6 screws 5x20	m/m 22
P 79-06	ø 20	160	6 screws 6x25	m/m 24
P 79-07	ø 22	160	6 screws 6x25	m/m 26
P 79-08	ø 24	160	6 screws 6x25	m/m 27




Luff Terminal for Round Battens

Item	Batten m/m	L m/m	Type	Connection
P 78-20	ø 8	70	4 screws 5x16	M 10
P 78-21	ø 10	70	4 screws 5x16	M 10
P 78-22	ø 12	70	4 screws 5x16	M 10
P 78-23	ø 14	70	4 screws 5x16	M 10
P 78-29	ø 14	90	6 screws 5x20	M 10
P 78-24	ø 16	90	6 screws 5x20	M 10
P 78-25	ø 18	90	6 screws 5x20	M 10
P 78-26	ø 20	160	6 screws 6x25	M 10
P 78-27	ø 22	160	6 screws 6x25	M 10
P 78-28	ø 24	160	6 screws 6x25	M 10



Adjustable Leech Terminal for Round Battens

Item	Batten m/m	L m/m	Type	Screw
P 79-20	ø 8	70	4 screws 5x16	m/m 10
P 79-21	ø 10	70	4 screws 5x16	m/m 14
P 79-22	ø 12	70	4 screws 5x16	m/m 16
P 79-23	ø 14	70	4 screws 5x16	m/m 18
P 79-29	ø 14	90	6 screws 5x20	m/m 18
P 79-24	ø 16	90	6 screws 5x20	m/m 20
P 79-25	ø 18	90	6 screws 5x20	m/m 22
P 79-26	ø 20	160	6 screws 6x25	m/m 24
P 79-27	ø 22	160	6 screws 6x25	m/m 26
P 79-28	ø 24	160	6 screws 6x25	m/m 27



Connection for Luff Terminals and Slides - Stainless Steel 316

Articolo	Screw m/m	L m/m	A m/m
M 84-00	10	46	23
M 84-01	12	46	23



Screws for Leech Terminal

Item	size
M 82-00	m/m 5
M 82-01	m/m 10
M 82-02	m/m 12
M 82-03	m/m 14
M 82-04	m/m 16
M 82-05	m/m 18
M 82-06	m/m 20
M 82-07	m/m 22
M 82-08	m/m 24
M 82-09	m/m 27




Holed Screws For Luff Terminal

Ext.	Int.	Item
m/m 16	m/m 10	M 82-10
m/m 18	m/m 10	M 82-11
m/m 18	m/m 12	M 82-14
m/m 20	m/m 10	M 82-15
m/m 20	m/m 12	M 82-12
m/m 22	m/m 12	M 82-13



Adjustable Luff Terminal for Round Battens

Item	Batten m/m	L m/m	Type	Connection
P 90-00	Ø 8	70	4 screws 5x16	M 10
P 90-01	Ø 10	70	4 screws 5x16	M 10
P 90-02	Ø 12	70	4 screws 5x16	M 10
P 90-03	Ø 14	90	6 screws 5x20	M 10
P 90-04	Ø 16	90	6 screws 5x20	M 10
P 90-05	Ø 18	160	6 screws 6x25	M 10
P 90-06	Ø 20	160	6 screws 6x25	M 10



Adjustable Leech Terminal for Round Battens

Item	Batten m/m	L m/m
P 57-01	12	80
P 57-02	14	80
P 57-03	16	80
P 57-04	18	80



Adjustable Luff Terminal for Round and Flat Battens

Item	Flat Batten Max m/m	Round Batten Max m/m	Connection
P 99-00	30	10	M 10



Adjustable Luff Terminal for Flat Battens


Item	Batten max m/m	Length m/m	Connection	Type
P 99-01	40	145	M 10	T1
P 99-02	25	145	M 10	T2


Luff Terminal for Flat Battens

Item	Batten max	Length	Tape
P 86-20	m/m 55	m/m 80	m/m 20


Luff Terminal for Flat Battens

Item	Batten max	Length	Tape
P 86-25	m/m 24	m/m 80	m/m 20


Adjustable Leech Terminal for Flat Battens

Item	Batten max	L m/m
P 86-10	20 m/m	92


Adjustable Luff Terminal for Flat Battens

Item	Batten	L m/m	Tape
P 86-01	40 m/m	140	m/m 20


Adjustable Luff Terminal for Flat Battens

Item	Batten	L m/m	Tape
P 86-05	20 m/m	123	m/m 20

Batten Terminal - Plastic



P 6-01	m/m 50	4 screws and nuts
---------------	--------	-------------------



P 6-02	m/m 50	4 tapping screws
---------------	--------	------------------



P 6-03	m/m 65	6 tapping screws
---------------	--------	------------------



P 6-04	m/m 45	Snap-On
---------------	--------	---------



P 6-10	m/m 40	6 tapping screws
---------------	--------	------------------



P 6-15	m/m 40	6 tapping screws
---------------	--------	------------------




P 7-04	m/m 20	3 tapping screws
---------------	--------	------------------




P 7-10	m/m 30	2 tapping screws
---------------	--------	------------------

Adjustable Leech Terminal for Flat Battens - RBS



	Item	A m/m	B m/m	L m/m
	P 85-01	10	5	110
	P 85-02	15	7,5	110
	P 85-03	19	7	110
	P 85-04	19	9	110



Terminals for Flat Battens

Item	Batten max	Type
P 54-01	m/m 40	T1
P 54-02	m/m 40	T2
P 73-01	m/m 40	T3
P 73-02	m/m 40	T4



Viadana Blocks

Item	Am/m	Bm/m	Lm/m	Description
M 116-00	5	24	40	No base
M 116-01	8	24	65	With four hole base
M 116-02	8	24	40	No base




Viadana Blocks

Item	Am/m	Bm/m	Lm/m
M 116-10	4	25	62
M 116-11	6	25	62



Ball Bearing Viadana Blocks

Item	Am/m	Bm/m	Lm/m
M 116-03	6	24	40
M 116-04	8	30	50
M 116-05	10	38	65
M 116-06	12	55	95



Ball Bearing Viadana Blocks

Articolo	A	B	L
M 116-12	8	30	70



Ring With Blocks


(On request other measures)

Item	Description
M 116-20	Round ring 5x35 m/m with Two block item M 116-04



Sea Sure Blocks

Item	A	B	L	Description
M 74-01	10	40	70	Senza grillo
M 74-02	10	40	70	Con grillo



Ball Bearing Viadana Blocks

Item	A	B	L
M 116-12	8	30	70



Mainsail Outhaul Blocks - SEA SURE

Item	R	Web max	Rope max
M 173-01	m/m 50	m/m 30	m/m 10
M 173-02	m/m 70	m/m 30	m/m 12
M 173-03	m/m 100	m/m 50	m/m 14
M 173-04	m/m 42	m/m 20	m/m 8



Mainsail Outhaul Blocks

Item	R	Web max	Rope max
M 173-11	m/m 50	m/m 30	m/m 10
M 173-12	m/m 70	m/m 30	m/m 12
M 173-13	m/m 100	m/m 50	m/m 14




Stainless Steel Buckles

Item	M 144-02	m/m 40
------	----------	--------



Stainless Steel Buckles

Item	Webbing	Weight
M 18-01	m/m 25	gr. 5
M 18-02	m/m 40	gr. 23
M 18-03	m/m 40	gr. 35
M 18-04	m/m 50	gr. 19



Stainless Steel Buckles

Item	M 106-01	m/m 50
------	----------	--------



Stainless Steel Buckles

Item	M 17-02	m/m 50
------	---------	--------



Aluminium Sliding Bar Buckles

Item	Webbing	Breaking Strength
M 19-01	m/m 30	Max 910 Kg
M 19-02	m/m 40	Max 910 Kg
M 19-03	m/m 50	Max 910 Kg



Open Plastic Sliding Bar Buckles

Item	Webbing	Breaking Strength
P 33-01	m/m 30	Max 140 Kg
P 33-02	m/m 40	Max 140 Kg
P 33-03	m/m 50	Max 140 Kg



Closed Plastic Sliding Bar Buckles

Item	Webbing	Breaking Strength
P 33-04	m/m 30	Max 450 Kg
P 33-05	m/m 40	Max 450 Kg
P 33-06	m/m 50	Max 450 Kg



Bronze/Nickel Buckles

Item	M 26-01	m/m 26
Item	M 26-02	m/m 16



Nylon Buckles

Webbing	Black	White
m/m 15	P 35-01	P 35-01B
m/m 20	P 35-02	P 35-02B
m/m 25	P 35-00	P 35-00B
m/m 30	P 35-03	P 35-03B
m/m 40	P 35-04	P 35-04B



Nylon Buckles

Webbing	Black	White
m/m 25	P 35-08	P 35-08B
m/m 30	P 35-09	P 35-09B
m/m 40	P 35-06	P 35-06B
m/m 50	P 35-07	P 35-07B



Nylon Buckles

Webbing	Black	White
m/m 15	P 36-01	P 36-01B
m/m 20	P 36-02	P 36-02B
m/m 25	P 36-00	P 36-00B
m/m 30	P 36-03	P 36-03B
m/m 40	P 36-04	P 36-04B
m/m 50	P 36-05	P 36-05B



Nylon Buckles

Webbing	Black	White
m/m 20	P 34-07	P 34-07B
m/m 25	P 34-03	P 34-03B
m/m 30	P 34-06	P 34-06B
m/m 40	P 34-04	P 34-04B
m/m 50	P 34-02	P 34-02B



Nylon Buckles

Item	Webbing
P 34-01	m/m 50



“Wilkinson Fiskars” Scissors

Item	Lenght	Type
M 43-01	m/m 215	Standard
M 43-03	m/m 235	Standard
M 43-04	m/m 260	Standard
M 43-05	m/m 170	Standard
M 43-06	m/m 130	Standard



“Wilkinson Fiskars” Scissors

Item	Lenght	Type
M 43-02	m/m 215	Left Hand



“FISKARS” Scissors Sharpener

Item	M 150-02
------	----------



“KAI” Scissors

Item	Lenght	Type
M 42-28	m/m 230	Standard
M 42-29	m/m 250	Standard
M 42-30	m/m 275	Standard
M 42-31	m/m 210	Left Hand



“Mundial” Scissors - Micro Serrated

Item	Lenght
M 70-01	m/m 190
M 70-02	m/m 210
M 70-03	m/m 240



“Mundial” Scissors

Item	Lenght
M 70-04	m/m 210
M 70-05	m/m 240



“Mundial” Scissors - Micro Serrated

Item	Lenght	Type
M 42-20	m/m 200	Classic
M 42-21	m/m 225	Classic
M 42-22	m/m 250	Classic
M 42-23	m/m 300	Classic
M 42-24	m/m 250	Slim blades
M 42-25	m/m 300	Slim blades



“Solingen Textilia” Scissors

Item	Lenght
M 42-01	m/m 210
M 42-02	m/m 235
M 42-03	m/m 260
M 42-04	m/m 320



“Solingen Textilia” Scissors - Micro Serrated

Item	Lenght
M 78-01	m/m 210
M 78-02	m/m 260



“Wiss” Scissors

Item	Lenght
M 42-50	m/m 280



Rechargeable Cordless Scissor

Item	Description
M 42-70	Complete with AC/DC transformer, battery charger, battery, DC adapter, long blades head with base



Engel Hot Knife

Item	Description
V 1-01	Hot Knife

Item	Description
V 2-01	Blade
V 2-02	Point Blade

Item	Description
V 1-03	Cutting foot



"Stanley" Cutter and Spare Blades

Item	Description
M 44-01	Cutter with blade 9x80 m/m
M 44-02	Cutter with blade 18x110 m/m
M 44-04	Blade 9x80 m/m
M 44-05	Blade 18x110 m/m
M 44-06	Cutter with blade 18x60 and two spare blades enclosed



Cutter and Spare Blades

Articolo	Descrizione
P 5-01	Cutter with blade diameter 28 m/m
P 5-02	Cutter with blade diameter 45 m/m
P 5-03	2 spare blades 28 m/m
P 5-04	Spare blade 45 m/m
P 5-10	Spare blade 28 m/m Extra Strong



Thread Clipper

Item	Length
M 44-03	m/m 100
M 44-10	m/m 120



Seam Rippers

Item	Description	Length
V 3-01	Short	m/m 70
V 3-02	Long	m/m 140



Inox Scratch Awl

Item	Length	Point Length
V 4-01	m/m 114	m/m 65
V 4-02	m/m 140	m/m 90
V 4-03	m/m 172	m/m 115



Needles For Hand-Sewing

Size	Item	L. m/m	Size	Item	L. m/m
n.19	V 38-01	47	n.12	V 38-08	80
n.18	V 38-02	60	n.11	V 38-09	88
n.17	V 38-03	64	n.10	V 38-10	95
n.16	V 38-04	67	n. 9	V 38-11	113
n.15	V 38-05	70	n. 8	V 38-12	117
n.14	V 38-06	75	n. 7	V 38-15	150
n.13	V 38-07	78	n. 6	V 38-16	180

Set 5 needles size 13-14-16-17-18 art. V 38-13

Set 20 needles size 14-15-16-17-18 art. V 38-14



Curved Needles For Hand-Sewing

Item	Description
V 38-20	m/m 43
V 38-21	m/m 60
V 38-22	m/m 80
V 38-25	Set 4 curved needles m/m 40-50-75-85



American & Efird Polyester Thread

(Bonded polyester thread with UV resistance - 500 gr. spools)

	30	46	70	92	138	210
White	V 37-02	V 37-03	V 37-04	V 37-05	V 37-06	V 37-07
Royal Blue	V 37-09	V 37-10	V 37-11	V 37-12	V 37-13	V 37-14
Black	V 37-16	V 37-17	V 37-18	V 37-19	V 37-20	V 37-21
Red	V 37-23	V 37-24	V 37-25	V 37-26	V 37-27	V 37-28
Navy Blue	V 37-30	V 37-31	V 37-32	V 37-33	V 37-34	V 37-35
Brown	V 37-37	V 37-38	V 37-39	V 37-40	V 37-41	V 37-42



Heminway & Bartlett Polyester Thread - White

(Bonded polyester thread with UV resistance - 500 gr. spools)

Size	Item	Color
30	V 39-01	White
46	V 39-02	White
69	V 39-03	White
92	V 39-04	White
138	V 39-05	White
210	V 39-06	White
277	V 39-07	White
346	V 39-08	White



Heminway & Bartlett White Polyester Thread – Pre-Wound Bobbins

Type	Machine	Size46 Item	Size69 Item	Size92 Item
G	Adler 67 Singer111/112/167/211G151/212	V 39-53	V 39-63	V 39-73
D	Bermina 217 Singer 61	V 39-50	V 39-60	V 39-70
F	Adler 98 Singer 107/143/457	V 39-51	V 39-61	V 39-71
L	Conscrew 98 Pfaff 138/238	V 39-52	V 39-62	V 39-72



Barbour Polyester Thread-White and Coloured

(Bonded polyester thread with UV resistance)

	Size30	Size46	Size69	Size92	Sz138	Sz210
White	V 19-01	V 19-03	V 19-04	V 19-05	V 19-06	V 19-07
Royal Blue	-	V 19-08	V 19-09	V 19-10	-	-
Navy Blue	-	V 19-12	V 19-13	V 19-14	-	-
Grey	-	V 19-16	V 19-17	V 19-18	-	-
Beige	-	V 19-20	V 19-21	V 19-22	-	-
Black	-	V 19-24	V 19-25	V 19-26	-	-
Brown	-	-	-	V 19-30	-	-
Spools mt	6000	5000	2500	2500	1500	1500



Koban Polyester/Cotton

(Polyester/Cotton thread for a low penetration of water)

Size	Item	Colors	Spools
V70	V 41-27	White	2500 mt
V90	V 41-37	White	2500 mt
V138	V 41-47	White	2500 mt



Waxed Polyester Thread For Hand Sewing

	0,8 m/m	1,2 m/m	1,4 m/m	1,8 m/m
White	V 36-01	V 36-02	V 36-03	V 36-04
Brown	V 36-06	V 36-07	V 36-08	-
Black	V 36-20	V 36-21	V 36-22	-
Spools	700 mt 350 gr.	500 mt 400 gr.	400 mt 450 gr.	300 mt 500 gr.



Waxed Polyester Thread For Hand Sewing

Item	Size	Weight
V 36-12	m/m 1,2	gr. 10



Waxed Flat Thread For Hand Sewing

V 36-10	m/m 1,5
V 36-11	m/m 3



Seaming Palms N. 2

Item	Description
V 84-01	Right Hand
V 84-02	Left Hand




Seaming Palms N. 2 ½

Item	Description
V 85-01	Right Hand
V 85-02	Left Hand



Seaming Palms N. 4

Item	Description
V 87-01	Right Hand
V 87-02	Left Hand



Seaming Palms N. 6

Item	Description
V 89-01	Right Hand



Seaming Palms N. 9

Item	Description
V 92-01	Right Hand
V 92-02	Left Hand



Seaming Palms N. 10

Item	Description
V 93-01	Right Hand
V 93-02	Left Hand



Seaming Palms N. 16

Item	Description
V 97-02	Left Hand



Double Side Adhesive Tape –Acrylic Based

V 29-04	m/m	6
V 29-05	m/m	9
V 29-06	m/m	12
V 29-07	m/m	18
V 29-20	m/m	40
V 29-21	m/m	50
V 29-22	m/m	100



Double Side Adhesive Tape – Dacron/Mylar Reinforced

Article	Size	Reinforce
V 30-01	m/m 12	Dacron
V 30-02	m/m 25	Dacron
V 30-03	m/m 50	Dacron
V 29-08	m/m 6	Mylar
V 29-09	m/m 9	Mylar
V 29-10	m/m 12	Mylar
V 29-11	m/m 18	Mylar
V 29-12	m/m 50	Mylar



Double Side Adhesive Tape – Acrylic Based

V 29-02	m/m	9
V 29-03	m/m	12



Double Side Adhesive Tape – Acrylic Based

V 29-25	m/m	6
V 29-26	m/m	9
V 29-27	m/m	12
V 29-28	m/m	18



Double Side Adhesive Tape – High Adhesion

V 29-30	m/m	10
V 29-31	m/m	12
V 29-32	m/m	15
V 29-33	m/m	20



Double Side Adhesive Tape - For Acrylic Cover Fabric

V 29-65	m/m	9
V 29-66	m/m	12



Double Side Adhesive Tape – High Adhesion

V 29-18	m/m	9
V 29-19	m/m	12



Double Side Adhesive Tape – High Adhesion - Tesa

V 29-16	m/m	9
V 29-17	m/m	12




Double Side Adhesive Tape – High Adhesion - Venture

V 09-00	m/m	6
V 09-01	m/m	9
V 09-02	m/m	12
V 09-03	m/m	18
V 09-04	m/m	15



Double Side Adhesive Tape – Acrylic Based Venture

V 09-10	m/m	6
V 09-11	m/m	9
V 09-12	m/m	12
V 09-13	m/m	18




Double Side Adhesive Tape – For Silicon Spinnaker Sailcloth

V 29-70	m/m	12
V 29-71	m/m	15



Roller for Double Side Tape

Item	Description
V 29-80	Width m/m 35




Hipkiss Eyelets

Size	Brass/Nic	Brass	A m/m	B m/m
000	M 21-10	M 21-01	6	10
00	M 21-11	M 21-02	7	13
0	M 21-12	M 21-03	8	17
1	M 21-13	M 21-04	10	20
2	M 21-14	M 21-05	12	23
3	M 21-15	M 21-06	14	25
4	M 21-16	M 21-07	16	28
5	M 21-17	M 21-08	18	34
6	M 21-18	M 21-09	20	38



Tool For Hipkiss Eyelets

Size	Item
000	M 23-01
00	M 23-02
0	M 23-03
1	M 23-04
2	M 23-05
3	M 23-06
4	M 23-07
5	M 23-08
6	M 23-09




Stimpson Eyelets

Size	Brass/Nic	Brass	A m/m	B m/m
0	M 22-10	M 22-01	8	16
1	M 22-11	M 22-02	10	19
2	M 22-12	M 22-03	12	22
3	M 22-13	M 22-04	13	24
4	M 22-14	M 22-05	15	28
5	M 22-15	M 22-06	17	32
6	M 22-16	M 22-07	20	38
7	M 22-17	M 22-08	24	43
8	M 22-18	M 22-09	28	47



Tool For Stimpson Eyelets

Size	Item
0	M 24-01
1	M 24-02
2	M 24-03
3	M 24-04
4	M 24-05
5	M 24-06
6	M 24-07
7	M 24-08
8	M 24-09



VL Eyelets – Brass/Nic

Size	Item	A m/m	B m/m
VL 10	M 25-01	6	11
VL 21	M 25-02	7	12
VL 31	M 25-04	8	14
VL 40	M 25-05	10	17
VL 50	M 25-06	12	21
VL 60	M 25-07	15	23
VL 70	M 25-08	16	28
VL 80	M 25-09	19	33



Tool For VL Eyelets

Size	Item
VL 10	M 87-01
VL 21	M 87-02
VL 31	M 87-04
VL 40	M 87-05
VL 50	M 87-06
VL 60	M 87-07
VL 70	M 87-08
VL 80	M 87-09



316 Stainless Steel Eyelets And Plastic Washers


Int. m/m	Item	Ext. m/m
14	M 31-02	16
20	M 31-03	22
22	M 31-04	25
27	M 31-05	30
35	M 31-06	38
40	M 31-08	43




Tool For M 31 Eyelets

Size	Item
14	M 32-01
20	M 32-02
22	M 32-03
27	M 32-04
35	M 32-05
40	M 32-06

Headboards Eyelets And Tools



Item	A m/m	H m/m	Description	Tool
M 20-01	15	16	Brass/Nic	M 20-08
M 20-02	19	19	Brass/Nic	M 20-07
M 20-03	22	22	Brass/Nic	M 20-10
M 20-05	19	20	Stainless Steel	M 20-09
M 31-11	16	16	Stainless Steel	M 32-01
M 31-12	22	22	Stainless Steel	M 32-02
M 31-13	25	25	Stainless Steel	M 32-03
M 31-14	30	27	Stainless Steel	M 32-04
M 31-15	38	29	Stainless Steel	M 32-05
M 31-16	43	30	Stainless Steel	M 32-06



Endeavour Eyelets – Stainless Steel

Size	Item	A m/m	B m/m	Tool
10	M 96-11	12	23	M 96-19
12	M 96-12	14	25	M 96-20
14	M 96-13	16	27	M 96-21
20	M 96-14	23	40	M 96-22
25	M 96-15	28	45	M 96-23
35	M 96-16	38	58	M 96-24
45	M 96-17	47	72	M 96-25
55	M 96-18	58	85	M 96-26

Tools For Endeavour Eyelets



Size	Item
10	M 96-19
12	M 96-20
14	M 96-21
20	M 96-22
25	M 96-23
35	M 96-24
45	M 96-25
55	M 96-26



Plastic Eyelets

Item	Int.	Ext.
P 43-02	m/m 10	m/m 20
P 43-03	m/m 13	m/m 26

Stainless Steel Hole Cutters



m/m	Item	m/m	Item	m/m	Item
ø 2	M 56-01	ø 13	M 56-12	ø 24	M 56-23
ø 3	M 56-02	ø 14	M 56-13	ø 25	M 56-24
ø 4	M 56-03	ø 15	M 56-14	ø 26	M 56-25
ø 5	M 56-04	ø 16	M 56-15	ø 27	M 56-26
ø 6	M 56-05	ø 17	M 56-16	ø 28	M 56-27
ø 7	M 56-06	ø 18	M 56-17	ø 30	M 56-28
ø 8	M 56-07	ø 19	M 56-18	ø 32	M 56-29
ø 9	M 56-08	ø 20	M 56-19	ø 35	M 56-30
ø 10	M 56-09	ø 21	M 56-20	ø 37	M 56-33
ø 11	M 56-10	ø 22	M 56-21	ø 38	M 56-31
ø 12	M 56-11	ø 23	M 56-22	ø 40	M 56-32



Hole Cutters

Item	Description
M 86	Available from m/m 0,5 to m/m 25



Hole Cutters for Turnbutton

Item	Description
M 64-06	Hole cutter for turnbutton eyelet M 64-04
M 64-70	Hole cutter for turnbutton eyelet M 64-03



Hole Cutter For Dot Fasteners

Item	Description
M 138-10	Hole cutter for item M 138-01



Hole Cutter Plier

Item	Sizes
M 27-02	ø2 - ø2,5 - ø3 - ø3,5 - ø4 - ø5



Revolving Hole Cutter Plier

Item	Sizes
M 27-01	ø2 - ø2,5 - ø3 - ø3,5 - ø4 - ø5



Button Snap Fasteners – Stainless Steel and Brass/Nickel

Item	Description	
M 65-01	A	Stainless Steel
M 65-02	B	Stainless Steel
M 65-03	C	Stainless Steel
M 65-04	D	Stainless Steel
M 65-05	A	Brass/Nickel
M 65-06	B	Brass/Nickel
M 65-07	C	Brass/Nickel
M 65-08	D	Brass/Nickel

Tool For Fasteners Button

Item	Description
M 65-09	Tool for Fasteners Button – Use with items M89-01 M89-02 and M89-03



Fasteners Button – Nylon

Item	Description
M 65-10	Complete A B C D
M 65-11	Tool for Fasteners Button – Use with items M89-01 M89-02 and M89-03



Fasteners – Lift the Dot – Brass/Nickel

Item	Type	Description
M 138-01	A	Washers female with prongs
M 138-02	B	Stud with screw
M 138-03	C	Stud with two prongs
M 138-04	D	Stud – tapping screw
M 138-05	E	Stud with two screw base
M 138-10	F	Cutting Punch for M 138-01



Tenax Fasteners

Item	Type	Description
M 62-01	A	Female and washer
M 62-02	B	Cloth base stud and washer
M 63-01	C	Stud with two screw base
M 63-02	D	Stud-tapping screw m/m 4x10
M 63-03	E	Stud-tapping screw m/m 4x16
M 63-04	F	Stud-screw 5x10
M 62-03		Tool for washers of A e B



Nylon Fasteners

P 80-01	Female for cloth
P 80-02	Male for cloth
P 80-03	Male screw



Nylon Turnbutton Fasteners

Item	Description
M 64-10	Male and female with snap-on washers



Turnbutton Fasteners

Item	Description
M 64-08	Three pieces complete



Turnbutton Fasteners Male Type

Item	Description	Type
M 64-01	Stud with two screw base	A
M 64-02	Tongued Stud	B
M 64-50	Stud with screw	C



Turnbutton Fasteners Female Type

Item	Description	Type
M 64-03	Tongued Female and Washer	A
M 64-04	Female-Eyelet and Washer	B



Tool for Turnbutton Pressing

Item	Description	Type
M 64-07	Tool for Turnbutton M 64-04	T1
M 64-07B	Tool for Turnbutton M 64-04	T2



Sew-On Plastic Fasteners Hooks and Eyelets

Item	Type
P 32-01	Hook
P 32-02	Eyelet



Plastic Hooks and Eyelets With Snap-On Lock

Item	Type
P 32-05	Hook
P 32-06	Eyelet



Quick Connection for Spinnakers and Flags

Item	Type
M 58-01	A
M 58-03	B
M 59-07	C



Fasteners For Cord

Item	
P 31-02	m/m 3
P 31-04	m/m 4



Fasteners For Cord

Item	
P 31-01	m/m 3
P 31-05	m/m 3
P 31-06	m/m 2




Acetovinylic Glue

Item	Description
P 23-01	500 gr.




3M Spray Adhesive

Item	Type	Quantity
P 23-02	Spray 77	500 ml
P 23-03	Spray Mount Repositionable	500 ml




Aluminium Headboards

Item	A m/m	B m/m	Eyelet m/m	Rivets m/m	Thickness m/m
M 45-01	89	114	19	5	1,5
M 45-03	114	143	19	5	2
M 45-05	133	181	19	5	2,5
M 45-07	159	210	19	5	3
M 45-08	215	290	25	5	3



Aluminium Headboards

Item	A m/m	B m/m	Eyelet m/m	Rivets m/m	Thickness m/m
M 131-01	133	185	22	5	1,5




Aluminium Headboards

Item	A m/m	B m/m	Eyelet m/m	Rivets m/m	Thickness m/m
M 131-03	134	165	22	5	1,5



Aluminium Headboards

Item	H m/m	L m/m	Rivets m/m	Description
M 45-10	59	246	5	5 holes
M 45-11	59	200	5	4 holes
M 45-12	59	156	5	3 holes




Aluminium Headboards

Item	A m/m	B m/m	Eyelet m/m	Thickness m/m
M 45-18	134	165	22,5	1,5
M 45-19	152	190	22,5	1,5
M 45-21	134	165	22,5	3
M 45-22	152	190	22,5	3
M 45-23	184	230	22,5	3




Aluminium Headboards

Item	H m/m	L m/m	Eyelet m/m	Rivets m/m	Thickness m/m
M 45-30	76	156	16	5	1,5



Plastic Headboards

Item	A m/m	B m/m	Eyelet m/m	Rivets m/m	Spessore m/m
P 12-01	73	99	16	5	3
P 12-04	102	115	16	4	3
P 12-05	113	128	16	4	3
P 12-06	116	140	19	5	3
P 12-07	150	150	16	4	3
P 12-08	133	160	19	5	4




Plastic Headboards

Item	A m/m	B m/m	T	Eyelet m/m	Rivets m/m	Spessore m/m
P 12-20	100	115	T1	17	4	3
P 12-21	115	138	T2	19	5	4,5




Plastic Headboards

Articolo	A m/m	B m/m	T	Eyelet m/m	Rivets m/m	Thickness m/m
P 12-09	130	130	T1	16	4	3




Plastic Headboards

Item	Description
P 24-01	A = 36 m/m



Stainless Steel Headboards

Item	A m/m	B m/m	Thickness m/m
M 46-01	50	129	0,8




Stainless Steel Headboards

Item	A m/m	H m/m	D m/m	F m/m
M 133-01	115	120	21	10
M 133-02	115	120	21	12
M 133-03	115	120	21	14



Zinc Plated Hook

Item	For rope	Lenght
M 119-01	ø 5	m/m 30
M 119-02	ø 6	m/m 40
M 119-03	ø 10	m/m 75



Plastic Hook For Elastic Rope

Item	Rope	Lenght	Type
P 29-03	ø 8	m/m 40	G
P 29-04	ø 3-4	m/m 42	F
P 29-05	ø 4-6	m/m 48	F
P 29-06	ø 6-8	m/m 58	F
P 29-07	ø 8-10	m/m 68	F




Plastic Hook

Item	Description
P 30-01	Hole 6 m/m lenght 40 m/m




Awning Hook

Item	Lenght	Diameter	Type
M 105-01	72 m/m	34 m/m	Plastic
M 105-02	72 m/m	34 m/m	Nic plated brass
M 105-03	72 m/m	34 m/m	Stainless steel



Awning Hook – Nickel Plated Brass

Item	d	D	L
M 111-01	m/m 10	m/m 25	m/m 54
M 111-02	m/m 15	m/m 35	m/m 70




Stainless Steel Hooks

Item	H	Descrizione	Tipo
M 103-02	m/m 28	2 fori da 6 m/m	T1
M 200-02	m/m 19	1 foro 4,5 m/m	T2
M 200-03	m/m 17	2 fori da 5 m/m	T3
M 200-04	m/m 37	fettuccia 25 m/m	T4
M 200-05	m/m 45	2 fori da 5 m/m	T5




Trapeze Hook – Stainless Steel

Item	Description
P 90-02	Webbing 40 m/m



Oval Quick-Links Stainless Steel

Item	A m/m	B m/m	C m/m	D m/m	E m/m	F m/m
M 109-01	37	30	5,5	3,5	7	17
M 109-02	41	33	6	4	8	21
M 109-03	50	40	7	5	11	26
M 109-04	58	46	8	6	12	29
M 109-06	74	58	10	8	15	39
M 109-09	104	84	20	10	19	45
M 109-10	122	98	24	12	22	52



Clamp For Steel Ropes

Item	For Steel Ropes
M 145-01	3-4 m/m
M 145-02	4-5 m/m
M 145-03	6-7 m/m
M 145-07	20 m/m
M 145-08	22 m/m



Wichard Stainless Steel Hooks

Item	L m/m	A m/m	B m/m	Max Kg	Weight gr.
M 9-01	50	7,5	6,5	200	22
M 9-02	55	9	8	300	37
M 9-03	65	11	10	500	59
M 9-04	80	13	11,5	700	100
M 9-05	90	17	13	900	143



Wichard Stainless Steel Hooks

Item	L m/m	A m/m	B m/m	Max Kg	Weight gr.	
M 10-01	75	12	10	880	64	T 1
M 10-02	100	17	14	1680	167	T 1
M 10-03	50	8	6	200	23	T 2
M 10-04	75	12	10	600	67	T 2
M 10-05	100	16	13	1400	186	T 2




Stainless Steel Hooks

Item	L m/m	A m/m	B m/m	Max Kg	Weight gr.
M 11-01	50	8	6	150	20
M 11-02	75	12	10	500	50
M 11-03	100	16	12	1200	126




Wichard Quick Release – Stainless Steel

Item	L m/m	A m/m	B m/m	Max Kg	Weight gr.
M 69-01	70	14	11	1000	59
M 69-02	80	16	12	1800	88
M 69-03	90	20	13,5	2500	136
M 69-04	110	25	16	3000	233




Quick Release – Stainless Steel

Item	A m/m	B m/m	C m/m	E m/m	Weight gr.	Max Kg.	Use Kg.
M 154-04	68	33	13	11	58	1300	350
M 154-05	87	42	18	15	120	2300	750
M 154-10	155	75	26	22	323	3500	1000




Quick Release – Stainless Steel

Item	A m/m	B m/m	C m/m	E m/m	Weight gr.	Max Kg.	Use Kg.
M 155-01	59	37	17	16	75	1000	150



Stainless Steel Hooks

Item	A m/m	B m/m	C m/m	E m/m	F m/m	Weight gr.	Max Kg
M 98-01	50	25	8	7	5	16	-
M 98-02	60	30	8,5	8	6	29	-
M 98-03	70	34	10,5	10	7	46	-
M 98-04	80	38	11,5	10	8	67	800
M 98-05	100	48	14	15,5	10	130	1200
M 98-06	120	57	17	17	10,5	187	2000



Stainless Steel Hooks

Item	A m/m	B m/m	E m/m	F m/m	Weight gr.	Max Kg
M 12-01	80	46	13	8	65	1200
M 12-02	100	55,5	20	10	100	2500



Bronze Piston Jib Hanks

Item	L m/m	A m/m	Weight gr.
M 7-40	43	7	22
M 7-50	53	9	38
M 7-60	63	12	64
M 7-70	73	15	72
M 7-80	85	18	100
M 7-90	95	20	120
M 7-99	107	23	200




Bronze Jib Hanks

Item	Description	Weight gr.
M 100-01	Lenght m/m 50	32
M 100-02	Lenght m/m 55	35
M 100-03	Lenght m/m 65	57




Sew-On Jib Hanks - Bronze

Item	Description	Weight gr.
M 6-02	Lenght m/m 40	23
M 6-03	Lenght m/m 50	35
M 6-04	Lenght m/m 60	47
M 6-05	Lenght m/m 70	65
M 6-07	Lenght m/m 90	140
M 6-08	Lenght m/m 115	280




Bronze Hooks

Item	A m/m	B m/m	C m/m	Weight gr.
M 156-01	26	55	10	22




Bronze Hooks

Item	B m/m	A m/m	Weight gr.	Description
M 198-01	55	11	26	Bronze
M 198-01b	55	11	26	Nickel Plated Bronze
M 198-02	73	16	43	Bronzo
M 198-03	82	19	65	Bronzo



Bronze Hooks

Item	B m/m	A m/m	Weight gr.	Type
M 60-01	90	20	75	T 1
M 60-02	90	25	66	T 2
M 60-03	65	12	45	T 3




Bronze Hooks

Item	B m/m	A m/m	Weight gr.
M 199-01	77	10	27



Plastic Hanks

Item	Length m/m	Rope m/m
P 21-01	32	3
P 21-02	32	4
P 21-02b	34	6
P 21-03	40	8
P 21-04	44	10




Plastic Piston Hanks

Item	L m/m	A m/m	B m/m
P 21-11	50	7	5
P 21-12	65	9	6
P 21-13	80	13	8




Plastic Hooks

Item	Length	Webbing
P 41-04	m/m 70	m/m 30




Swivel – Stainless Steel

Item	F	D	L
M 61-07	m/m 5	m/m 15	m/m 64
M 61-08	m/m 10	m/m 24	m/m 114




Swivels – Stainless Steel

Item	d	D	L
M 61-01	m/m 6,5	m/m 12	m/m 50
M 61-02	m/m 11	m/m 14	m/m 55
M 61-05	m/m 23	m/m 27	m/m 100



Swivel - Bronze

Item	F	D	L
M 61-04	m/m 6	m/m 22	m/m 77



Plastic Screw-In Shackles

Item	L	A	B
P 19-02	m/m 44	m/m 12	m/m 29
P 19-03	m/m 48	m/m 15	m/m 29
P 19-04	m/m 54	m/m 15	m/m 34



Plastic Snap-In Shackles

Item	L	A	B	
P 20-01	m/m 36	m/m 12	m/m 22	T2
P 20-02	m/m 45	m/m 13	m/m 29	T1
P 20-03	m/m 36	m/m 12	m/m 22	T1
P 20-04	m/m 60	m/m 15	m/m 44	T1




Plastic Screw-In Shackles

Item	L	A	B
P 19-10	m/m 63	m/m 12	m/m 45



Plastic Screw-In Shackles - Recoverable

Item	Description
P 69-01	Lenght m/m 37
P 69-02	Lenght m/m 44




316 Inox Shackles

Item	L	A	B	
M 66-01	m/m 28	m/m 10	m/m 17	T1
M 66-02	m/m 35	m/m 15	m/m 25	T1
M 66-03	m/m 38	m/m 17	m/m 26	T1
M 66-04	m/m 50	m/m 13	m/m 40	T1
M 66-05	m/m 50	m/m 14	m/m 38	T2
M 66-06	m/m 53	m/m 16	m/m 40	T3




316 Inox Shackles

Item	d	h
M 125-01	m/m 8	m/m 30
M 125-02	m/m 10	m/m 38
M 125-03	m/m 12	m/m 50



316 Inox Shackles

Item	d	h
M 122-01	m/m 6	m/m 20
M 122-02	m/m 8	m/m 33
M 122-03	m/m 10	m/m 40
M 122-04	m/m 12	m/m 50
M 122-05	m/m 16	m/m 58
M 122-06	m/m 20	m/m 68
M 122-09	m/m 8	m/m 64
M 122-10	m/m 10	m/m 80
M 122-11	m/m 4	m/m 16
M 122-12	m/m 5	m/m 22
M 122-13	m/m 14	m/m 55



316 Inox Shackles

Item	d	h	D
M 121-03	m/m 10	m/m 50	m/m 35
M 121-04	m/m 12	m/m 60	m/m 43
M 121-05	m/m 16	m/m 84	m/m 58
M 121-06	m/m 20	m/m 92	m/m 66



316 Inox Shackles - Quick Lock

Item	d	L	A	B
M126-01	m/m 8	m/m 70	m/m 21	m/m 60



Sail Marking Ink

Item	Description
V 20-01	Black
V 20-02	White-Red-Blue-Green-Yellow
V 20-03	Solvent



Hand Roller And Pad For Ink

Item	Description
V 21-01	Pad 120x200 m/m
V 21-03	Hand Roller 38 m/m



Plastiseam - Plastidip

Item	Description	
P 23-05	Water resistant seam treatment	350 ml
P 23-06	Liquid plastic for batten end protection	430 ml



Acquablock – Water Resistant

Item	Description	
P 23-30	Water resistant treatment for cloth and seams	650 ml


CS-530

EXTRA STRENGHT MILDEW STAIN REMOVER CLEANER

Sail Cleaner And Mildew Remover

Developed exclusively for cleaning sails

Item	Description
V 47-01	Strong
V 47-02	Extra Strong



Stainless Steel Round Rings

On request it is possible produce measures not in the catalogue

		A							
		m/m 3	m/m 4	m/m 5	m/m 6	m/m 8	m/m 10	m/m 12	m/m 14
B	m/m 15	M 67-01							
	m/m 20	M 67-02							
	m/m 25	M 67-04							
	m/m 30								
	m/m 35								
	m/m 40								
	m/m 45								
	m/m 50								
	m/m 60								
	m/m 70								
	m/m 80								
		M 67-01	M 67-03	M 67-45					
		M 67-02	M 67-05	M 67-46					
		M 67-04	M 67-06	M 67-07	M 67-08	M 67-41			
				M 67-09	M 67-10	M 67-11	M 67-12		
				M 67-13	M 67-14	M 67-15	M 67-16	M 67-17	
				M 67-18	M 67-19	M 67-20	M 67-21	M 67-22	
				M 67-39	M 67-23	M 67-24	M 67-25	M 67-26	
					M 67-27	M 67-28	M 67-29	M 67-30	
						M 67-31	M 67-32	M 67-33	M 67-34
								M 67-35	M 67-36



Stainless Steel Round Rings With Bar

Item	A m/m	B m/m	Item	A m/m	B m/m
M 13-01	10	40	M 13-09	8	65
M 13-02	10	50	M 13-10	16	80
M 13-03	12	65	M 13-11	18	80
M 13-04	10	65	M 13-12	14	85
M 13-05	10	75	M 13-15	4	20
M 13-06	12	75	M 13-16	5	20
M 13-07	12	85	M 13-00	5	30
M 13-08	14	75			



Ring With Blocks

(On request other measures)

Item	Description
M 116-20	Round ring 5x35 m/m with Two block item M 116-04




Nylon Rings

Item	ød	øD	Color
P 37-01	m/m 5	m/m 30	White
P 37-02	m/m 6,5	m/m 36	White
P 37-05	m/m 10	m/m 30	White
P 37-10	m/m 5	m/m 40	Black




Nylon Rings for Tubes

Item	Description
P 96-01	For tubes m/m 38




Plastic D-Ring

Item	F m/m	A m/m
P 81-01	5,5	20
P 81-02	5,5	25
P 81-03	6	30
P 81-04	6	40




Stainless Steel D-ring

Item	F m/m	A m/m
M 15-00	2	18
M 15-01	5	25
M 15-02	5	30
M 15-03	6	40
M 15-04	6	50
M 15-05	7	50
M 15-06	8	60




Stainless Steel D-ring

Item	F m/m	A m/m	B m/m
M 15-07	6	38	15
M 15-08	6	54	30
M 15-09	8	65	40
M 15-10	10	75	40
M 15-11	12	80	40




Stainless Steel D-ring

Item	F m/m	A m/m
M 16-03	8	80
M 16-04	10	85
M 16-05	10	100
M 16-06	12	110
M 16-07	12	125




Stainless Steel D-Ring

Item	F m/m	A m/m
M 190-03	10	55
M 190-06	12	75
M 190-07	14	75
M 190-10	12	95
M 190-11	14	110
M 190-12	8	70
M 190-13	6	60




Stainless Steel D-Ring

Item	F m/m	A m/m
M 191-03	10	75
M 191-04	12	75
M 191-05	12	85




Stainless Steel Triangle With Bar

Item	F m/m	A m/m
M 14-01	5	50
M 14-02	6	65
M 14-03	8	75
M 14-04	8	85
M 14-05	10	95
M 14-06	10	105
M 14-07	8	65
M 14-08	10	75
M 14-09	8	95
M 14-10	8	60



Stainless Steel Triangle With Bar

Item	F m/m	A m/m	B m/m
M 166-01	8	65	80



Stainless Steel Triangle With Bar

Item	F m/m	A m/m
M 16-10	10	120



Press Tool

Item	Description
M 89-01	Possible to insert closing tools for: Eyelets-Snap Fasteners-Rivets or Hole Cutters

A = 130 m/m



Press Plier

Item	Description
M 89-02	Possible to insert closing tools for: Eyelets-Snap Fasteners-Rivets or Hole Cutters



Pressing Tool Plier

Item	Description
M 89-05	Possible to insert closing tools for: Eyelets-Snap Fasteners-Rivets or Hole Cutters



Press Tool

Item	Description
M 89-03	Possible to insert closing tools for: Eyelets-Snap Fasteners-Rivets or Hole Cutters



Bronze Plates For Press Tool

Item	Description
M 88-01	Diameter 12 m/m
M 88-02	Diameter 24 m/m



Aluminium Rail

Item	Length	Internal
M160-01	mt 3	m/m 9,5



Aluminium or Plastic Rail

Item	Length	Internal	Material
P 97-01	mt 2,3	m/m 9	PVC
M160-02	Mt 3	m/m 10	Aluminium



Tape For Rail

Item	Diameter m/m
P 97-05	7,5
P 97-06	8,5



Aluminium Headboards Rivets

Item	Description
M 53-01	m/m 3,9x10
M 53-02	m/m 4,6x10
M 53-03	m/m 4,9x12,5
M 53-04	m/m 4,9x15
M 53-05	m/m 3,9x12,5
M 53-06	Closing tool for M 53



Brass/Nickel Plated Quick Rivets

Item	Size	Tool Item
M 48-01	m/m 3,5x10	M 49-01
M 48-02	m/m 4x12	M 49-02
M 48-03	m/m 4,5x14	M 49-03
M 48-04	m/m 5,5x17	M 49-04
M 48-05	m/m 5x15	M 49-02



Brass/Nickel Plated Tubular Rivets

Item	Size	Tool Item
M 52-04	m/m 4,6X10	M 49-07
M 52-05	m/m 4,6x12	M 49-07
M 52-06	m/m 4,9X10	M 49-08
M 52-08	m/m 4,9X13	M 49-08



Stainless Steel Tubular Rivets

Item	Description
M 169-01	m/m 4,5x 9
M 169-02	m/m 4,5x14
M 169-03	m/m 4,5x16
M 169-10	Closing plier for M 169



Leech Line Double Braid Polyester Rope

Item	Diameter
V 24-03	m/m 2
V 24-04	m/m 2,5
V 24-05	m/m 3
V 24-06	m/m 4
V 24-07	m/m 5
V 24-08	m/m 6



Ultra Hard Braided Luff Line – 100% Polyester

Item	Diameter	Item	Diameter
V 26-01	m/m 2	V 26-06	m/m 5
V 26-11	m/m 2,5	V 26-07	m/m 5,5
V 26-02	m/m 3	V 26-08	m/m 6
V 26-03	m/m 3,5	V 26-12	m/m 6,5
V 26-04	m/m 4	V 26-09	m/m 7
V 26-05	m/m 4,5	V 26-10	m/m 8



Braided Polyester Rope

Item	Diameter
V 82-00	m/m 3
V 82-01	m/m 4
V 82-03	m/m 5
V 82-04	m/m 6
V 82-05	m/m 7
V 82-06	m/m 8
V 82-07	m/m 10
V 82-08	m/m 12

3-Strand Polyester Rope



Item	Diameter	Item	Diameter
V 25-02	m/m 5	V 25-09	m/m 14
V 25-03	m/m 6	V 25-08	m/m 16
V 25-04	m/m 7	V 25-11	m/m 18
V 25-05	m/m 8	V 25-12	m/m 20
V 25-06	m/m 10	V 25-13	m/m 22
V 25-07	m/m 12	V 25-10	m/m 25



Low Stretch Double Braid Polyester Rope

Item	Diameter
V 98-01	m/m 6
V 98-02	m/m 8
V 98-03	m/m 10
V 98-04	m/m 12



Pre-Stretched Double Braid Polyester Rope

Item	Diameter
V 99-01	m/m 6
V 99-02	m/m 8
V 99-03	m/m 10
V 99-04	m/m 12



Double Braid Rope – Spectra or Kevlar

SPECTRA		KEVLAR	
V 100-10	m/m 1,5	V 100-00	m/m 1,5
V 100-11	m/m 2	V 100-01	m/m 2
V 100-12	m/m 3	V 100-02	m/m 3
V 100-13	m/m 4		
V 100-14	m/m 5		
V 100-15	m/m 6		



Shockcord

Item	Diameter
V 23-01	m/m 3
V 23-02	m/m 4
V 23-03	m/m 5
V 23-04	m/m 6
V 23-05	m/m 8
V 23-06	m/m 10



Rings for Elastic Rope and Plier

Item	Description
V 51-01	Plier
V 51-02	Ring ø 8 for rope 3-4-5
V 51-03	Ring ø 10 for rope 5-6
V 51-04	Anello ø 13 for rope 8



Cleat For Elastic Rope

Item	Description
P 17-60	Rope m/m 2,5 - 5




Sweden Rope Cleat

Item	Description	L	Rope max
P 15-01	2 fori	m/m 29	m/m 3
P 15-02	3 fori	m/m 43	m/m 4
P 15-03	4 fori	m/m 56	m/m 7



Plastic Rope Cleat

Item	Description
P 17-50	Rope max 6 m/m



Aluminium Rope Cleat

Item	Description
P 17-03	WxL m/m 29x29 - Rope m/m 5 max

Rope Cleats - Clamcleat



Item	Clamcleat	Rope
P 16-01	CL212	m/m 2-5



Item	Clamcleat	Rope
P 16-04	CL214	m/m 2-5



Item	Clamcleat	Rope
P 16-03	CL241	m/m 3-6



Item	Clamcleat	Rope
P 16-02	CL212A	Schermo



Item	Clamcleat	Rope
P 16-06	CL233	m/m 2-5




Item	Clamcleat	Rope
P 16-08	CL260	m/m 2-4



Item	Clamcleat	Rope
P 16-09	CL258	m/m 3-6



Item	Clamcleat	Rope
P 16-07	CL213	m/m 2-5




Item	Clamcleat	Rope
P 16-05	CL221	m/m 1,5-2



Item	Clamcleat	Rope
P 16-10	CL259	m/m 3-6




Item	Clamcleat	Rope
P 16-11	CL 267 Nylon e Alluminio	m/m 2-5
P 16-12	CL 269 Nylon	m/m 2-5



Internal Flat Slides - Plastic


Item	A m/m	B m/m	C m/m	L m/m	T
P 01-01	14,5	3,8	6	32	T 1
P 01-02	17	3,8	7	32	T 2
P 01-03	18	3	9	32	T 3
P 01-04	18,5	4	8	37	T 1
P 01-05	20	5	10	41	T 1
P 01-06	21,5	5	10	41	T 1
P 01-08	22	3,5	11	35	T 3
P 01-09	22,8	3,8	12,8	39	T 2
P 01-10	23,5	5	9	37	T 1
P 01-11	27	4,5	17	49	T 2
P 01-12	16	3	6	32	T 1
P 01-13	22,5	7	9	50	T 2



Internal Slides - Plastic

Item	A m/m	B m/m	C m/m	L m/m	T
P 59-01	14	4	4,2	50	T 1
P 59-02	22,8	4,2	7,2	40	T 2
P 59-03	22,8	4,2	7,2	50	T 2
P 59-04	22,8	4,2	7,2	40	T 3
P 59-05	22,8	4,2	7,2	50	T 3

Bainbridge Sailman Internal Slides - Plastic




Item	Width m/m	Length m/m	Type
P 50-01	15,6	45	T1
P 50-02	8	45	T2
P 50-03	9,3	45	T2
P 50-04	12,5	45	T2
P 50-05	15,8	45	T3
P 50-06	19	45	T3
P 50-07	22,2	45	T3




Internal Flat Slides – 316 Stainless Steel

Item	A m/m	Thickness m/m	
M 03-01	16	3,2	Stainless Steel
M 03-03	19	3,2	Stainless Steel
M 03-06	23,8	3,2	Stainless Steel
M 03-11	20	3,2	Plastic covered S.S.
M 03-12	22	3,2	Plastic covered S.S.
M 03-13	24	3,2	Plastic covered S.S.




Internal Slides

Item	Description	A m/m	B m/m	T
P 02-01	Sacloma	10,5	3	T 1
P 02-02	Sacloma	14	4	T 1
P 02-04	Sea Sure	10,5	3	T 2
P 02-05	Sea Sure	14	4	T 2



Brass/Nickel Internal Slides

Item	A m/m	B m/m
M 147-01	14	4



Internal Slides - Plastic

Item	A m/m	B m/m
P 04-01	7,5	3
P 04-02	10	3
P 04-03	12	3
P 04-04	16,5	6
P 04-05	20	9



Plastic/Stainless Internal Slides

Item	A m/m	B m/m
M 79-01	8	3
M 79-02	10	3
M 79-03	12	3



Plastic/Stainless Internal Slides

Item	A m/m	B m/m
M 79-04	8	2
M 79-05	10	2
M 79-06	12	2



Plastic/Stainless Internal Slides

Item	Diameter
P 3-01	m/m 7,5
P 3-02	m/m 8,9
P 3-03	m/m 12



Heavy Duty Bronze Slides

Item	Description	m/m
M 171-01	Bronze/Nic	8
M 171-02	Bronze/Nic	10
M 171-05	Bronze/Nic	12
M 171-03	Plastic Covered Bronze	8
M 171-04	Plastic Covered Bronze	10



Heavy Duty Stainless Steel Slides

Item	Description	m/m
M 80-01	Stainless Steel	8
M 80-02	Stainless Steel	10
M 80-03	Stainless Steel	12



Heavy Duty Bronze Slides

Item	D	d	L m/m	Description
M 146-01	12	8	50	Bronze/Nic
M 146-02	12	8	50	Plastic Covered



Plastic External Slides

Item	P 88-01	m/m	22
------	---------	-----	----



Stainless Steel External Slides

Item	Track Size m/m	Length m/m
M 01-01	16	21
M 01-02	19	24
M 01-03	22	29
M 01-04	28	32





Elastic Tape

Articolo V 28-02	m/m 20
Articolo V 28-03	m/m 30
Articolo V 28-04	m/m 40
Articolo V 28-05	m/m 50



Acrylic Border Tape Item V120-01 m/m 20

			
White	Stone	Beige	Burgundy
			
Mid Blue	Royal blue	Navy	Red
			
Silver	Grey	Green	Black



Adhesive Dacron Tape (Other sizes on request)

Width	Item	Width	Item
m/m 15	V 48-20	m/m 50	V 48-02
m/m 20	V 27-01	m/m 60	V 48-23
m/m 25	V 48-21	m/m 75	V 48-03
m/m 30	V 48-01	m/m 100	V 48-04
m/m 40	V 48-22	m/m 150	V 48-05

Colors

White	Yellow	Flu Orange
Blue	Grey	Black
Red	Flu Pink	Silver Grey
Green	Flu Yellow	Transparent



Adhesive Dacron Tape - **ANTI UV** White (Other sizes on request)

Item	Width m/m
V 116-01	25
V 116-02	50
V 116-03	75
V 116-04	100
V 116-05	150
V 116-06	450
V 116-07	680



Adhesive Spinnaker Nylon Tape

Item	Width	Length	Colors
V112-99	Cm 5	Mt 7,5	White-Red-Blue-Black



Adhesive Kevlar Tape

Item	Width
BJ742	m/m 50



Dacron Tape - "SOFT" (Other sizes on request)

	210 gr./m ²	240 gr./m ²	280 gr./m ²	300 gr./m ²	340 gr./m ²	380 gr./m ²
3 cm	V 110-26	V 110-38	V 110-50	V 110-62	V 110-74	V 110
4 cm	V 110-27	V 110-39	V 110-51	V 110-63	V 110-75	V 110
5 cm	V 110-28	V 110-40	V 110-52	V 110-64	V 110-76	V 110
6 cm	V 110-29	V 110-41	V 110-53	V 110-65	V 110-77	V 110
7 cm	V 110-30	V 110-42	V 110-54	V 110-66	V 110-78	V 110
8 cm	V 110-31	V 110-43	V 110-55	V 110-67	V 110-79	V 110
10 cm	V 110-32	V 110-44	V 110-56	V 110-68	V 110-80	V 110-85
12 cm	V 110-33	V 110-45	V 110-57	V 110-69	V 110-81	V 110-86
14 cm	V 110-34	V 110-46	V 110-58	V 110-70	V 110-82	V 110-88
16 cm	V 110-35	V 110-47	V 110-59	V 110-71	V 110-83	V 110-89

Dacron Tape - "MEDIUM" (Other sizes on request)

	170 gr./m ²	210 gr./m ²	240 gr./m ²	280 gr./m ²	300 gr./m ²	340 gr./m ²	380 gr./m ²
3 cm	V 111-14	V 111-26	V 111-38	V 111-50	V 111-62	V 111-74	V 111
4 cm	V 111-15	V 111-27	V 111-39	V 111-51	V 111-63	V 111-75	V 111
5 cm	V 111-16	V 111-28	V 111-40	V 111-52	V 111-64	V 111-76	V 111
6 cm	V 111-17	V 111-29	V 111-41	V 111-53	V 111-65	V 111-77	V 111
7 cm	V 111-18	V 111-30	V 111-42	V 111-54	V 111-66	V 111-78	V 111
8 cm	V 111-19	V 111-31	V 111-43	V 111-55	V 111-67	V 111-79	V 111
10 cm	V 111-20	V 111-32	V 111-44	V 111-56	V 111-68	V 111-80	V 111-85
12 cm	V 111-21	V 111-33	V 111-45	V 111-57	V 111-69	V 111-81	V 111-86
14 cm	V 111-22	V 111-34	V 111-46	V 111-58	V 111-70	V 111-82	V 111-88
16 cm	V 111-23	V 111-35	V 111-47	V 111-59	V 111-71	V 111-83	V 111-89

Coloured Dacron Tape 170 gr./m² (Other sizes on request)

		3 cm	4 cm	5 cm	6 cm	7 cm	8 cm	10 cm
	Red 3125	V 34-20	V 34-39	V 34-58	V 34-801	V 34-820	V 34-839	V 34-858
	Flu Red 3105	V 34-21	V 34-40	V 34-59	V 34-802	V 34-821	V 34-840	V 34-859
	Yellow 5078	V 34-22	V 34-41	V 34-60	V 34-803	V 34-822	V 34-841	V 34-860
	FluYellow528	V 34-23	V 34-42	V 34-61	V 34-804	V 34-823	V 34-842	V 34-861
	Blue 7352	V 34-24	V 34-43	V 34-62	V 34-805	V 34-824	V 34-843	V 34-862
	H.Blue	V 34-25	V 34-44	V 34-63	V 34-806	V 34-825	V 34-844	V 34-863
	Green 6047	V 34-26	V 34-45	V 34-64	V 34-807	V 34-826	V 34-845	V 34-864
	FluGreen609	V 34-27	V 34-46	V 34-65	V 34-808	V 34-827	V 34-846	V 34-865
	Green 6223	V 34-28	V 34-47	V 34-66	V 34-809	V 34-828	V 34-847	V 34-866
	Pink	V 34-29	V 34-48	V 34-67	V 34-810	V 34-829	V 34-848	V 34-867
	Flu Pink	V 34-30	V 34-49	V 34-68	V 34-811	V 34-830	V 34-849	V 34-868
	Orange	V 34-31	V 34-50	V 34-69	V 34-812	V 34-831	V 34-850	V 34-869
	FluOrange 4197	V 34-32	V 34-51	V 34-70	V 34-813	V 34-832	V 34-851	V 34-870
	Black 2100	V 34-33	V 34-52	V 34-71	V 34-814	V 34-833	V 34-852	V 34-871
	Grey 2328	V 34-36	V 34-55	V 34-74	V 34-817	V 34-836	V 34-855	V 34-874
	Violet 7924	V 34-37	V 34-56	V 34-75	V 34-818	V 34-837	V 34-856	V 34-875
	Lilla 3838	V 34-38	V 34-57	V 34-76	V 34-819	V 34-838	V 34-857	V 34-876



Dacron Tape - **ANTI UV** (Other sizes on request)


Size cm	280 gr./m ² White	245 gr./m ² Blue	310 gr./m ² Blue
6	V113-49	V113-80	V113-90
8	V113-50	V113-81	V113-91
10	V113-51	V113-82	V113-92
12	V113-52	V113-83	V113-93



Spinnaker Nylon Tape


	1,5 oz	2,2 oz
3 cm	V 112-52	V 112-02
4 cm	V 112-53	V 112-03
5 cm	V 112-54	V 112-04
6 cm	V 112-56	V 112-05
7 cm	V 112-60	V 112-07
8 cm	V 112-61	V 112-06

Colors		
White	Red	Green
Blue	Yellow	Black



Teflon Tape – “Standard”

Item	Width
V 17-00	127 m/m



Teflon Tape – “Super Glide Tape”

Item	Width
V 17-01	127 m/m



Carbon Reinforced Adhesive Tape

Item	Wires	Width	Total Denier	Type
V 55-00	3 x Carbon	m/m 38	11000	C 11-3
V 55-01	1x Carbon	m/m 25	7000	C 7-1
V 55-02	1x Carbon	m/m 28	14000	C 14-1
V 55-03	2 x Carbon	m/m 38	14000	C 14-2
V 55-04	3 x Carbon	m/m 55	21000	C 21-3
V 55-05	5 x Carbon	m/m 55	17000	C 17-5
V 55-06	6 x Carbon	m/m 60	24000	C 24-6
V 55-07	3 x Carbon	m/m 60	42000	C 42-3



Fiberglass Reinforced Adhesive Tape

Item	Wires	Width	Total Denier	Type
V 55-08	3 x Glass	m/m 35	11000	G 11-3
V 55-09	1 x Glass	m/m 32	18000	G 18-1
V 55-10	5 x Glass	m/m 55	18000	G 18-5



Twaron Reinforced Adhesive Tape

Item	Wires	Width	Total Denier	Type
V 55-11	3 x Twaron	m/m 35	8000	T 8-3
V 55-12	5 x Twaron	m/m 55	13000	T 13-5
V 55-13	6 x Twaron	m/m 60	19000	T 19-6
V 55-14	3 x Twaron	m/m 42	20000	T 20-3



Transparent Adhesive Tape – Anti UV


Item	Width
V 29-77	m/m 25



Luff Tape

(With Hard Braided Rope)

Item	Size	Description
V 18-03	ø 3	Dacron Tape cm 12x300 gr/m – Rope ø 2
V 18-04	ø 3,5	Dacron Tape cm 12x300 gr/m – Rope ø 2,5
V 18-05	ø 4	Dacron Tape cm 12x300 gr/m – Rope ø 3
V 18-06	ø 4,5	Dacron Tape cm 12x300 gr/m – Rope ø 3,5
V 18-07	ø 5	Dacron Tape cm 12x300 gr/m – Rope ø 4
V 18-08	ø 5,5	Dacron Tape cm 12x300 gr/m – Rope ø 4,5
V 18-09	ø 6	Dacron Tape cm 12x300 gr/m – Rope ø 5
V 18-10	ø 6,5	Dacron Tape cm 12x300 gr/m – Rope ø 5,5
V 18-11	ø 7	Dacron Tape cm 12x300 gr/m – Rope ø 6



Mainsail Luff Tape

(With 3-Strand Rope)

Item	Size	Description
V 79-02	ø 6	Dacron Tape cm 12x300 gr/m – 3 Strand Rope ø 5
V 79-03	ø 7	Dacron Tape cm 12x300 gr/m – 3 Strand Rope ø 6
V 79-04	ø 8	Dacron Tape cm 12x300 gr/m – 3 Strand Rope ø 7
V 79-05	ø 9	Dacron Tape cm 12x300 gr/m – 3 Strand Rope ø 8
V 79-06	ø 6	Dacron Tape cm 8x280 gr/m – 3 Strand Rope ø 5
V 79-07	ø 7	Dacron Tape cm 8x280 gr/m – 3 Strand Rope ø 6
V 79-08	ø 8	Dacron Tape cm 8x280 gr/m – 3 Strand Rope ø 7
V 79-09	ø 9	Dacron Tape cm 8x280 gr/m – 3 Strand Rope ø 8



Nylon High Strength Webbing

Width	Item	Breaking Strength
m/m 15	V 63-01	1000 Kg
m/m 20	V 63-02	1600 Kg
m/m 30	V 63-03	2200 Kg
m/m 40	V 63-04	2800 Kg
m/m 50	V 63-05	3000 Kg



Nylon Heavy Weight Webbing

Width	Black	White	Breaking Strength
m/m 20	V 50-01	V 50-08	800 Kg
m/m 30	V 50-02	V 50-09	1000 Kg
m/m 40	V 50-03	V 50-10	1600 Kg
m/m 50	V 50-04	V 50-11	2000 Kg
m/m 60	V 50-05	V 50-12	2400 Kg
m/m 80	V 50-06	V 50-13	3000 Kg
m/m 100	V 50-07	V 50-14	3500 Kg



Medium Weight Polyester Webbing

Width	White	Black	Breaking Strength
m/m 20	V 49-01	-	600 Kg
m/m 25	V 49-13	V 49-12	700 Kg
m/m 30	V 49-02	V 49-07	800 Kg
m/m 40	V 49-03	V 49-06	1500 Kg
m/m 50	V 49-04	V 49-09	1800 Kg
m/m 60	V 49-05	V 49-14	2100 Kg




Coloured Polypropylene Webbing

Item	Colors	Width
BE226BU	Red	m/m 25
BE226RD	Blue	m/m 25
BE226GY	Grey	m/m 25




Light Weight Polyester Webbing – “Medium”

Width	Item
m/m 10	V 31-08
m/m 15	V 31-01
m/m 20	V 31-02
m/m 30	V 31-03
m/m 40	V 31-04
m/m 50	V 31-05




Light Weight Polyester Webbing – “Soft”

Width	Item
m/m 15	V 31-10
m/m 20	V 31-11
m/m 30	V 31-12
m/m 40	V 31-13
m/m 50	V 31-14



Tubular Polyester Webbing

Width	Item	Breaking Strength
15 m/m	V 32-05	Kg. 780
20 m/m	V 32-06	Kg. 920
25 m/m	V 32-09	Kg. 1100
30 m/m	V 32-07	Kg. 1400
40 m/m	V 32-08	Kg. 1800



Tubular Nylon Webbing

Width	Item	Breaking Strength
40 m/m	V 32-04	Kg. 1800



Spectra Webbing – HEAVY and LIGHT



Item	T	Description
V 52-01	T1	m/m 25 Heavy
V 52-02	T1	m/m 45 Heavy
V 52-05	T2	m/m 25 Light
V 52-06	T2	m/m 45 Light



Kevlar Webbing

Item	Width
V 52-10	m/m 25



White Velcro

Item	Description
V 66-00	m/m 15
V 66-01	m/m 20
V 66-02	m/m 25
V 66-03	m/m 30
V 66-04	m/m 40
V 66-05	m/m 50
V 66-06	m/m 100



Black Velcro

Item	Description
V 66-09	m/m 15
V 66-10	m/m 20
V 66-11	m/m 25
V 66-12	m/m 30
V 66-13	m/m 40
V 66-14	m/m 50
V 66-15	m/m 100



White Adhesive Velcro

Item	Description
V005-15	m/m 15
V005-16	m/m 20
V005-17	m/m 30
V005-18	m/m 40
V005-19	m/m 50



Stainless Steel 316 Wire Rope

	19 Wires	49 Wires	133 Wires
Ø 2	M 36-01	M 37-01	-
Ø 2.5	M 36-02	M 37-02	M 38-01
Ø 3	M 36-03	M 37-03	M 38-02
Ø 4	M 36-04	M 37-04	M 38-03
Ø 5	M 36-05	M 37-05	M 38-04
Ø 6	M 36-06	M 37-06	M 38-05
Ø 7	M 36-07	-	-
Ø 8	M 36-08	M 37-07	M 38-06
Ø 10	-	M 37-08	-
Pvc covered 2,5 x 19 wires Ø ext. 4 m/m item M 37-10			
Pvc covered 4,5 x 49 wires Ø ext. 5 m/m item M 37-13			
Pvc covered 4,5 x 49 wires Ø ext. 6 m/m item M 37-14			



Open Thimbles – Stainless Steel 316

Item	Description
M 4-00	m/m 2,5
M 4-01	m/m 2
M 4-02	m/m 3
M 4-03	m/m 4
M 4-04	m/m 5
M 4-05	m/m 6
M 4-07	m/m 8
M 4-08	m/m 10
M 4-09	m/m 12



Close Thimbles – Stainless Steel 316

Item	Description
M 5-01	m/m 3
M 5-02	m/m 4
M 5-03	m/m 5
M 5-04	m/m 6
M 5-05	m/m 8
M 5-06	m/m 10



Copper Sleeves

Item	Wire Rope
M 34-01	m/m 2
M 34-02	m/m 2,5
M 34-03	m/m 3
M 34-05	m/m 4
M 34-07	m/m 5
M 34-08	m/m 6
M 34-11	m/m 8
M 34-13	m/m 10



Zinc Plated Copper Sleeves

Item	Wire Rope
M 35-01	m/m 1,5
M 35-02	m/m 2
M 35-03	m/m 2,5
M 35-05	m/m 3
M 35-06	m/m 4
M 35-07	m/m 5
M 35-08	m/m 6



Copper Sleeves

Item	Wire Rope
M 132-01	m/m 1,5
M 132-02	m/m 2
M 132-03	m/m 2,5
M 132-04	m/m 3
M 132-05	m/m 4



Zinc Plated Copper Sleeves

Item	Wire Rope
M 115-07	m/m 4
M 115-08	m/m 5
M 115-09	m/m 6



FELCO Steel Wire Shearing Tool

Item	Type	A m/m	L m/m
M 55-01	Felco C 7	7	190
M 55-02	Felco C 9	9	325
M 55-03	Felco C 12	12	500
M 55-04	Felco C 16	16	590
M 55-04	Felco C 108	8	560
M 55-05	Felco C 112	12,7	730



Hand Tool For Pressing Sleeves

Item	For Sleeves m/m	Length
M 110-05	2 - 2,5 - 3	cm 50



Hand Tool For Pressing Sleeves

Item	For Sleeves m/m	Length
M 195-01	5-6-8 with spare head	cm 73




Bench Mounting Tool For Pressing Sleeves

Item	For Sleeves m/m	Length
M 196-01	1,5 - 2,5 - 3 - 4 - 5	cm 58



Hand Tool For Pressing Sleeves

Item	For leeves m/m	Length
M 54-01	2 - 2,5	cm 32



Hand Tool For Pressing Sleeves

Item	Description	Length
M 92-01	Handle	cm 38
M 92-02	Head for m/m: 2 - 2,5 - 3 - 4	cm 10
M 92-03	Head for m/m: 3 - 4 - 5	cm 10
M 92-04	Head for m/m: 6	cm 10



Bench Mounting Tool For Pressing Sleeves

Item	Description
M 41-01	Arm Length cm 53
M 41-03	Head for m/m: 2 - 2,5 - 3 - 4
M 41-04	Head for m/m: 3 - 4 - 5
M 41-05	Head for m/m: 6



YKK Continuous Vislon Zipper

	White	Black
Zip m/m 5	V 06-10	V 06-12
Zip m/m 8	V 06-04	V 06-11
Zip m/m10	V 06-05	V 06-13

Sliders	Single White	Single Black	Double White	Double Black
Slider m/m 5	V 07-10	V 07-10N	-	-
Slider m/m 8	V 07-06	V 07-06N	V 07-08	V 07-08N
Slider m/m 10	V 07-07	V 07-07N	V 07-09	V 07-09N
Plastic Slider 10	-	-	V 07-15	V 07-15N



PASKAL Continuous Vislon Zipper

	White	Black
Zip m/m 5	V 67-74	-
Zip m/m 10	V 67-73	V 67-78
Zip m/m 15	V 67-70	V 67-71
Zip m/m 20	V 67-72	-



YKK Continuous Coil Zipper

	White	Black
Zip m/m 5	V 06-01	V 06-07
Zip m/m 8	V 06-02	V 06-08
Zip m/m10	V 06-03	V 06-09

	Single White	Single Black	Double White	Double Black
Slider m/m 5	V 07-01	V 07-01N	-	-
Slider m/m 8	V 07-02	V 07-02N	V 07-04	V 07-04N
Slider m/m 10	V 07-03	V 07-03N	V 07-05	V 07-05N



PASKAL Continuous Coil Zipper

	White	Black
Zip m/m 6	V 67-01	-
Zip m/m10	V 67-02	V 67-75

	Single	Double
Slider m/m 6	V 68-33	V 68-34
Slider m/m 10	V 68-31	V 68-32
Plastic Slider m/m 6	V 68-01	-
Plastic Slider m/m 10	V 68-30	V 68-02



YKK Jacket Type Zipper # 8 Vislon (Metal Slider)

Meters	White	Black	Meters	White
0,5	V 06-20	V 06-40	4,5	V 06-29
1	V 06-21	V 06-41	5	V 06-30
1,2	V 06-22	V 06-42	5,4	V 06-31
1,5	V 06-23	V 06-43	5,5	V 06-32
2	V 06-24	V 06-44	6	V 06-33
2,5	V 06-25	V 06-45	8	V 06-34
3	V 06-26	V 06-46	10	V 06-35
3,5	V 06-27	V 06-47	14	V 06-36
4	V 06-28	-	15	V 06-37



PASKAL Jacket Type Zipper # 10 Vislon (Plastic Slider)

Meters	White	Black	Meters	White	Meters	White
0,5	V 67-22	V 67-39	5	V 67-12	9,5	V 67-20
1	V 67-23	V 67-40	5,5	V 67-13	10	V 67-27
1,5	V 67-24	V 67-41	6	V 67-14	11	V 67-28
2	V 67-25	V 67-42	6,5	V 67-15	12	V 67-29
2,5	V 67-26	V 67-43	7	V 67-16	15	V 67-30
3	V 67-08	V 67-44	7,5	V 67-17	20	V 67-32
3,5	V 67-09	-	8	V 67-19	25	V 67-31
4	V 67-10	-	8,5	V 67-18		
4,5	V 67-11	-	9	V 67-21		



PASKAL Jacket Type Zipper

Vislon 6 m/m (Metal Slider)	
mt 0,5	V 67-03
mt 1	V 67-04
mt 1,5	V 67-05
mt 2	V 67-06
mt 2,5	V 67-07

Vislon 20 m/m (Plastic Slider)	
mt 8	V 67-68
mt 10	V 67-67



Water Repellent PASKAL Jacket Type Zipper # 10 Vislon (Plastic Slider)

Item	Length mtrs
V67-80	3
V67-81	3,5
V67-82	4
V67-83	4,5
V67-84	5




Knee Pads

Item	V 10-02
------	---------



Sail Repair Kits

Item	Description
V 40-01	Seaming Palm-Seam Ripper-5 Needles Scratch Awl-Waxed Thread 50 gr.
V 40-02	Seaming Palm -5 Needles-Thread-Wax



Polypropylene Base for Punch

Item	Description
P 42-01	On request sizes.



Staple Remover

Item	Length
M 44-07	m/m 145



Rawhide Hammer

Item	Description
P 46-10	Hammer Length cm 35 Kg 1,2 complete
P 46-11	Replacement diameter m/m 45



Adhesive Numbers And Letters

Item	Description	Sizes
V 42-03	Numbers	m/m 170x250
V 43-01	Numbers	m/m 200x300
V 54-02	Letters	m/m 200x300

(For the colors see adhesive dacron page 10)



Adhesive Digital Numbers

Item	Sizes
V 44-01	m/m 175x270
V 44-02	m/m 230x355
V 44-03	m/m 310x475
V 44-04	m/m 400x610

(For the colors see adhesive dacron page 10)



Steel Clamp For Cloth

Item	Description
M 33-01	Length m/m 170
M 33-02	Length m/m 220



Pushpins

Item	Description
V 80-01	Aluminium head
V 81-01	Red plastic head and steel pin
V 81-02	Black plastic head and steel pin



Measuring Tapes

Item	Description
V 22-01	Steel 20 mt
V 22-07	Steel 30 mt
V 22-04	PVC 20 mt
V 22-06	PVC 30 mt

TERMS & CONDITIONS

All delivery terms indicated have only an indicative value, and are always excepted cases of mayor strenght.

Any delay may set up motive for damage request or loose request or cancellation of the order, the goods can't be refused for the above cause.

Each our engagement is always in order to the possibility of supply of the raw material required.

All material are sold free our warehouse, and the transport is at risk of the purchaser

Also when the transport is made in free port.

The adreesee, in case of delay, failure, weight difference, etc., must exercitate its claim action only against the transporter, that is the only responsible of the transport.

The colours of the materials contents in the catalogue have only an indicative value, and they may be a little differents, any claims concerning this difference may not be

Accepted, the customer must verify the effective colour with the request of a samples.

After eight days from the reception of material, no claims concerning difference or defects of the material will be accepted.

Each defects of the material or in construction, accertained after our check, constitute for us only the obligation to repair or substitute only the faulty item, or at the credit if it, following our advice.

The customer can't require any others indennity for this reason.

We don't accept returning goods without our aut acceptance. The returning must be made only after our authorization.

All the payment must be made at our office in S. Stefano di Magra (SP)

When the payment terms is overdue, commercial interests more three point in addition at the base bank rate at the moment of the expiry starting to be calculated. In addition the banks freights, and eventually legal action freights will be charged to the buyer.

Iregular payment or missing payment authorize us to suspend or cancel the current order without any comunication, or to require to the buyer guarantee.

Eventuals claims per defects of the good or for delay in furnishing, can't be reason for the dismissing in payment of invoice, unless the only part that present the defects concerning the claims.

When the buyer pass the order or accept our offert, it accept all the present sales terms, and it annul each foregoing verbal or wrote negotiation direct or undirect.

The prices showed are susceptible of the changes that could intervene till the shipment date.

For each claim the only authority called to judge is that of the La Spezia tribunal: Autorità Giudiziaria Del Foro Di La Spezia

SACLOMA s.a.s.